





From the 900.000 enterprises based in Hungary Mr. Karoly Kralik was chosen, due to his domestic and international results, the creator of Cralusso float range was asked to become a Hungarian Talent Ambassador.

When I decided to launch Cralusso I knew that instead of improving on existing products I would have to set off in an entirely new direction, developing new solutions and technologies. Our revolutionary innovations, such as our ground-breaking fishing floats enabled users to win countless world, European and national championships. During the recent years and months we have been focusing on reforming feeder and method equipment. Our unrivalled models were developed with the help of cutting-edge 3D printing technology. I am sure we have made our mark – these products can help make fishing even more enjoyable and successful.

Cralusso, choice of the winners









In 2015 has reached another World Cup victory with our products. The Club's Team World Championship, which held in Zilina, the Slovakian Team take possession of first place with Cralusso floats

Main milestones:

2002: Launch Cralusso

2003: World Championship – Torpedo 2005: European Championship – Torpedo 2006: Innovation Expo, GENIUS award

2007: U.S. Open - Golf and Bubble

2008: European Championship - Torpedo

2008: U.S. Open - Shark

2008: Hungarian National Championship - Shark

2009: Best Stand award

2010: Sponsorship at Poznan World Cup

2012: Title of Hungarian Talent Ambassador

2013: Expand the NAVIGATOR line

2014: Dutch men's team – the title of world champion Hungarian team of disabled people – individual and team title of world champion Hungarian team of veterans – world champion

bronze medal







2015: Best Stand award Slovakian Team won the Club Team World Championship with Torpedo floats

2018: Our company has won a research and development tender. We have established our development workshop equipped with state-of-the-art machines to provide a foundation for the innovations in the coming years.

2019: The Bosnian team that won club world championship using our Raj and Torpedo floats in Prelog, Croatia.



József Pilán, Cralusso's test angler was awarded a world championship bronze medal at the age of 70.

Newness





A new hydrodynamic form developed by Cralusso, the body does not lift out the water when held back. This float is for use on the pole and is ideal for use in medium or strong flow when you wish to present static or slow moving baits. It is so good and reliable that it has become the number one choice of flat float for anglers of all abilities including a few world champions!


Some quotations about the Torpedo:

- Alan Scotthorne: "The best flat float I've ever used" Angling Times, May 10 2005.
- Bob Nudd: "It will add a new dimension to your polefishing"

Angling Times 31 May 2005



Code: 1001



TORPEDO Tuning


An advanced version of the Torpedo float, which helped the Hungarian team to win gold in the 2003 World Championship. The Torpedo Tuning was also the success story of the 2005 European Championship - 80% of the contestants used our floats, including Will Raison, the individual champion.

As with the Torpedo, this float is for use on the pole and is ideal for use in medium or strong flow when you wish to present static or slow moving baits.

Sizes: 6 - 8 - 10 - 12 - 15 - 20 - 25 - 30 - 40 - 50 - 70 gr



With recommendation of Tibor Ambrus, world champion











Code: 1003



A river float designed for use on the pole but has found favour with many anglers on the running line. It is ideal for running through the swim at variable speed. The Bubble was introduced in 2005 Madunice European

Championship.

The winner of U.S. Open in 2007 and 2008!

Variable antenna 1-5 gr 2 pcs Variable antenna 6-20 gr 5 pcs Waterproof polyurethane body Floats can be changed without dismantling the rig

1 - 1,5 - 2 - 3 - 4 - 5 - 6 - 8 - 10 - 12 - 15 - 20 qr 30 - 40 - 50 gr

The next step of success! József Papp won the 2008 U.S. open using a Cralusso Bubble

Functions of two floats in one 2 in 1 Code: 1004




1 You should use the first antenna position when you are holding the float back hard or even lightly.

You should use the second antenna position when you want the float running through the swim

Sizes: 1 - 1,5 - 2 - 3 - 4 - 5 - 6 8 - 10 - 12 - 15 - 20 gr 25 - 30 - 40 - 50 gr Shark, the brand new flat float was developed using many years of experience in float design and was in response to the demand from professional anglers. Used primarily for pole fishing the float can present baits in many ways. The antenna position can be changed according to your technique - whether this is holding back hard or running the float through the swim.

> When the current is strong or you are holding back hard use the first bristle position. When the flow is slower or you want to run the float through the swim the second bristle position is recommended.

The streamline hump on top of the float – the sharks fin - aids stability and sensitivity - even the smallest of bites can be seen clearly.



The introduction of the Shark was at the Hungarian National Championship in 2008, where Tibor Ambrus, one of the leaders of the Tubertini-MarosMix-Cralusso group won the competition using this new



Choice of the Champions



Code: 1027

This hard- wearing polyurethane disc float developed by Cralusso can take the place of tradicional balsa models, that can be damaged easily.



Sizes:

1 - 1,5 - 2 - 3 - 4 - 5 - 6 - 8 - 10 - 12 - 15 - 20 qr 25 - 30 - 40 - 50 gr

The favourite float of the world championship held in Croatia in 2014, helping the Dutch team to earn the title of world champion



In this competition, Alan Scotthorne – five times individual world champion of England – and many other teams have used the innovative Cralusso floats!



Code: 1002

A special river float for use with rod and reel set ups that can be held back hard without drifting in across the flow. The direction and speed can be changed

easily offering perfect and accurate presentation. Ideal for medium and strongly currents although it can be used on still water for predator fishing when you wish to work a baitfish parallel to the bank.



3 - 4 - 6 - 8 - 10 - 12 - 15 - 20 gr



Sizes:

3 - 4 - 6 - 8 - 10 - 12

15 - 20 gr

A river float for use Bolognese rods and any running line set up. The design allows you to hold the float back without it drifting in across the flow. You can vary the speed of travel easily, but in sufficient flow and by holding back hard it is possible to lead the Bolo out from the bank toward features, cover or your feed line. You can effectively position the float before letting it run through the swim.



Code: 1005











Revolutionary new waggler designs from Cralusso



We developed the Rocket for long, accurate, straight casting. The Rocket has unique features that enable it to fly much better than traditional wagglers

- even those with flights







Thanks to the versatile and adaptable antenna system, twenty Cralusso sight tips can be used with this float. Three tips are contained in each pack.

Б By sliding the tube to calibrate the float you can minutely adjust the weighting = 0.45 qr= 1,0 qr= 2,0 gr Variable/removable

The stem of the float is made from a material that is very strong and will remain straight without becoming twisted or curved.

The calibration system helps quick, simple and accurate adjustments. with 0,05 gr graduations being possible

The aerodynamics are improved with surface indentations (as on a golf ball) which reduces air resistance and increases stability.

PUR

3

2



The critical element of the Rocket design is the special attachment system. This ensures the optimum position of the float and the terminal tackle it is 'towing' during flight - thus ensuring maximum distance and

When you use this floats after casting you should hold back the float before it falls dawn into the water to eliminate the possibility of tangles.

Size gr	Changeable weight		
6	2,0 gr		
8	2,5 gr		
10	3,0 gr		
12	3,0 gr		
14	3,0 gr		
16	3,5 gr		
18	3,5 gr		
20	3,5 gr		


accuracy is achieved.

Recommended float adaptors: Anti tangle waggler attachment Size: Small, Medium Code: 2006

How to use this attachment?

The short stem faces toward the rod.

The long stem is faces toward the hook.



weights in the body









Code: 1007

The Ufo and Dart floats utilize Cralusso's innovations, which give them their efficacy and popularity.







Adjusting the antenna and the sensitivity can be performed repeatedly using the calibration solution. They've become preferred by the anglers because of their versatile, simple usage and their durable design.

The concept is the same as that found in the UFO waggler but in addition to the other latest developments this version incorporates a flight.










The body is made of polyurethane, which is not sensitive to surface damage. The Dart is a very versatile float, which is a suitable for both pleasure and match anglers alike.







Recommended float adaptors Waggler Attachment Light: 2005 Brass Head Safety Snap: 2122 Plastic head swivel with interlock snap: 2123

DART

Code: 1008

Thanks to the versatile and adaptable antenna system, twenty Cralusso sight tips can be used with this float. Three tips are contained in each pack.


> The removeable dart wings help the floats to the flight.



The stem of the float is made from a material that is very strong and will remain straight without becoming twisted or curved.



The calibration system helps quick, simple and accurate adjustments. with 0,05 gr graduations being







Sizes: 5 - 7 - 9 - 11 gr

Variable antenna 2 pcs

Type	Distance of Casting	Changeable weight
Pro Carbon 8-16 gr	35-60 m	1,0-5,0 gr
Rocket 6-20 gr	40-85 m	2,0-3,5 gr
Helio 8-30 gr	40-75 m	2,5-15 gr
Dart 6-20 gr	35-65 m	2,5-5,5 gr
Sensitive 5-11 gr	35-55 m	1,5-3,0 gr
Ufo 6-20 gr	30-50 m	2,5-5,5 gr

PUR



This near indestructible float has been made for the ever more popular method of pellet waggler fishing. Being short it can be used successfully when fishing shallow and presenting baits deeper is no problem. You can fish precisely with different sizes and PUR weights of pellet by making adjustments to the capacity of the float using the calibration system.



Sizes: S - M - L

Rocket Pellet

Code: 1012 This float incorporates all the advantages of the pellet float but also utilises the rocket system. Normal pellet wagglers are hampered in flight because the float is trying to tow a big bait. Aerodynamics, distance and accuracy are therefore adversely affected. The Rocket Pellet overcomes all these problems and is the perfect solution – even with heavy reel lines it can cast long distances and is very accurate.



Sizes: M - L





<u> pro</u>Carbon

Waggler

Code: 1084

Professional waggler float, offering unique solutions for competitive and hobby angling as well. The float has a tapered carbon stem, a polyurethane body and tungsten discs.

A rotary part with a bearing is built into the lead head, which brakes, bends when it falls. The calibration solution developed by Cralusso allows for the quickest and most sensitive antenna setting to adjust with as little as 0.01 gramm.

1 year warranty!

Size gr	Changeable weight
8	1 gr
10	2 gr
12	3 gr
14	4 gr
16	5 gr

PUR

Strenghtened pillow swivel builted-in the lead head



Code: 1085

We have been ecstatic over the success of the Arrow waggler but we never rest and have achieved even further improvement for this year. In addition to the already successful developments

we are now using a weight system that is twice as heavy as brass.

This lead/tungsten combination disc system together with the new aerodynamically refined body has created an even better flight, operation and precision in use.
The antenna system consists

The antenna system consists of over 20 versions with varying diameters, lengths and colours available. New to this range are the 'air antenna' - a clever highly visible tube and a very sensitive solid option.

Size gr	Changeable weight		
8	2,5 gr		
10	4,5 gr		
12	6,5 gr		
14	8,5 gr		
16	10,5 gr		
18	8,0 gr		
20	10,0 gr		

Tip: With the help of the unique calibration system you can speed up the float setting process and also achieve very precise setting of the antenna.

Strenghtened pillow swivel builted-in the lead head

New antenna with helium

The new combination of lead and tungsten weight discs has a high specific gravity and is therefore only half the volume of brass.







Code: 1087



Professional waggler float with calibration system, new body shape, made using tungsten & helium!

Code: 1086

Our newest innovation, the HELIO waggler float incorporates the best of our knowledge. We used materials with the most optimal density, this means that the lead head, the tungsten discs and the helium-filled float body and shank provided the possibility to build an ideal float, which

- has the best flying capabilities;
- can be set to the highest sensitivity
- can be weighted in the shortest time
- has a stem that does not bend even on higher temperatures
- resists damage
- can hold over 30 types of antennas

ire filled with hol	ded ded				
2.0	. 6			Changeable weight	
Tue la	£ .		8	2,5 gr	
2 6	ש		10	4,5 gr	
0 11 7			12	6,5 gr	
			14	8,5 gr	
8			16	10,5 gr	
20	- 111		18	8,5 gr	Т
12	255		20	10,5 gr	П
14	18		25	10,0 gr	П
18	111	18	30	15,0 gr	П
A	A	P	UR	New antenna, with helium	
Company Company	deatuses de la constante de la	Chairess Chief.			ľ
			Lead - ' weight	tungsten combined system	

The new combination of lead and tungsten weight discs has a high specific gravity and is therefore only half the volume of brass. Heeding the requests of the anglers, we added to our offer this easy to use, easy to throw Slider float, which satisfies the highest demands of the hobby and sport anglers. The 3.0 gr net weight of the special slider head and the design of the PUR body give excellent flying capabilities to the float. It is mainly recommended for deep water and lakes with strong currents, when the bait needs to be sunken to the vicinity of the lakebed quickly and in a stable way.

- Simple, precise usage
- Fastest antenna and sensitivity adjustment with the help of the calibration system.
- Versatile variability for weighting
- Replaceable solid and air-filled antennas

Sizes
3 + 8,0 gr
3 + 10,0 gr
3 + 12,0 gr
3 + 14,0 gr
3 + 16,0 gr
3 + 18,0 gr

Tip: The new waggler stem set (Item: 2034), increase the capacity and variability of the float. The different length of stems (250-330), can be accelerate the balance, furthermore increase the distance of flight.

Sizes: 8-10-12-14-16-18 qr





The aim of continuous innovation to create the best waggler float!

Code: 1040 waqqler

Incorporates a removable brass disc weight system and, of course, all the usual Cralusso innovative features







The ARROW waggler ensures an aerodynamic flight, high levels of sensitivity and offers a multifunctional, easy to use float. The longer stem offers the following advantages:


- Generates extraordinary stability and distance in flight
- The body and main weight of the float sits deep in the water and it is therefore less influenced by wind and surface skim
- The long float aids the important task of getting your line deep in the water

Transportation of the long float is not difficult as the stem and body can be separated. This allows the carrying of made up rods where required with no risk of float damage.

Size gr	Changeable weight
8	3,0 gr
10	4,0 gr
12	5,0 gr
14	6,0 gr
16	7,0 gr
18	8,5 gr







Variable/removable weights in the body of the float

Strenghtened pillow swivel builted-in the lead head








Multicolor waggler

Code: 1013

Size gr	Changeable weight
8	2 gr
10	2 gr
12	2 gr
14	2 gr








New Carp floats


Unweighted carp floats with PUR body

Carp floats with fix weight

Code: 1090 Code: 1095

Heavy-duty fishing floats with pur body, developed to carp fishing





Winner of US Open Championships in 2007

When we were creating the traditional type of tear drop floats it was our intention, as is always the company policy, to place the emphasis on making each model easy to use, infinitely variable and long lasting. The design allows all of the components, including the bristles, to be freely interchanged thus allowing numerous combinations to be achieved. The floats are available a near transparent fibre

glass stem that is less visible in water.



The special dimpled surface of this Golf float, which reduces water tension affects, makes it an ideal choice for use on rivers, moving canals and choppy lakes.

> Sizes: 1 - 1.5 - 2 - 3 - 4 5 - 6 - 8





Universal shape which is ideal for both rivers and still waters. The protective plastic tube through the float is very hard wearing and makes the float virtually indestructible highly recommended when fishing for carp on the pole.


> Sizes: 0,5 - 0,75 - 1 1.5 - 2 - 3 - 4 - 5 - 6



This body shape allows for more sensitive presentation even more so if you use the 1 mm carbon or glass stem as the bristle. Also incredibly strong, however, and will handle big fish well.

Sizes: 0,2 - 0,3 - 0,5 - 0,75 - 1 1.5 - 2 - 3 - 4 - 5 - 6

They are well constructed and very strong. Bristles are interchangeable so you can make rigs that perform well for delicate presentation or dealing with big weights of fish.



Components of the tear drop floats are all interchangeable and they can be assembled in a number of ways to suit your own requirements only your imagination could limit the number of variations.



Recommended float adaptors: 2007








Carp Series



Code	Weight gr	Antenna	Stem	Body mat.	Pcs/bag
1072	0,3-0,5-0,8-1,0	fix	carbon	balsa	5
1073	0,2-0,4-0,6-0,8	fix	carbon	balsa	5



	1 1 1				
Code	Weight gr	Antenna	Stem	Body mat.	Pcs/bag
1041	1-1,5-2-3-4-5-6	plastic	fibre glass	balsa	5
1042	0,5-0,75-1-2-3-4	plastic	fibre glass	balsa	5
1043	0,5-0,75-1-1,5-2-3	plastic	fibre glass	balsa	5
1044	0,5-0,75-1-1,5-2-3	fibre glass	carbon	balsa	5
1045	0,4-0,5-0,75-0,8-1-1,25-1,5-2-3	hollow	carbon	balsa	5
1046	0,6-0,8-1-1,5-2	hollow	carbon	balsa	5
1047	0,6-0,8-1-1,5-2	fibre glass	carbon	balsa	5
1048	0,4-0,6-0,8-1-1,25	fibre glass	carbon	balsa	5





CRALUSSO

Balsa float with changeable star light antenna











Waggler attachment Light (Fixed) Code: 2005


A sure and safe float fixing that allows quick changes. Tangles and knots are reduced because of the built in big load bearing swivel. The attach-ment is very light as carbon is used in the manufacture. We offer the small Waggler attachment for 8-10 gr floats, and the medium attachment for floats

Size	Code	Weight	Pcs/bag
Small	2005	0,22 gr	3 pcs
Medium	2005	0,35 gr	3 pcs

above 10 gr.



Cralusso's own development! The success of the anti-tangle waggler attachment lies in the asymmetric design which allows the device to keep the line away from the float and so greatly reduce the possibility of tangles and knots.



How to use this attachment?

Size	Code	Weight	Pcs/bag
Small	2006	0,30 gr	3 pcs
Medium	2006	0,45 gr	3 pcs

Metal waggler snap

Code: 2035

Float fixer with ball bearing swivel, withstands the highest loads

Weight	Pcs/bag
0,30 gr	2 db





Adjustable float-holding roll

2032 S

2032 M



Hook tyer system 2033



S - 8-25 cm 76 pcs L - 20-50 cm 76 pcs Needle disgorger 2037 Baiting needle set 2039

Antibacterial spray 2059



Colour antenna label

2050



Line marker

2054



2057



Line's sinking spray 2058







Strong silicon tubes 2009 0,8×2,2 mm



Silicon tubes mixed 2009-mix



Size	Weight
0,5 mm	0,1 gr
0,7 mm	0,1 gr
0,9 mm	0,1 gr



Float adaptors For tear drop floats 2007


Pcs/bag

4 pcs

4 pcs 4 pcs

Úszórögzítő készlet Float fixing set	
CRALUSS quality	
Code 2014-mx	

Float fixing set 2014-mix



Pellet ring 2015 Sizes: S-M-L



Anti-tangle soft tube 2017 0,5×1,8 - 0,8×1,9 - 1,0×2,1 mm



Bait holder 2025 Sizes: S-L

CRALUSSO



www.cralusso.com

Flare rubber thorn 2012-mix



Pellet stopper kit 2026 Hard



Metal bait spike 7-10 mm 2028 S 7 mm, M 10 mm




Plastic bait spike 2029 S 5-7 mm, M 10-13 mm



Silicon fastened bait sting 2030 S 7mm - M 10mm



Hook Silicone Tube 2031 0,3 and 0,5 mm




Fixing plastic bait spike added silicone!



Boilie stopper 2027







"PRESTIGE" fishing line – as the name implies, this range will satisfy the highest demands of the modern angler. We believe different disciplines of fishing require a line specifically designed for the purpose and that each must possess the correct properties for its intended use. As such, we have developed and tested the lines over a period of some years and are certain we are now offering a selection of the very best available at a truly competitive price.



2061



Great attention to detail has been paid to ensure this line has the optimal relationship between strength and suppleness. It is reliable, strong and resistant to twist and tangles.

Length (m)	Diameter (mm)	Breaking Strain (kg)
50	0.088	1,18
50	0,102	1,57
50	0,123	2,34
50	0,143	3,07
50	0,160	3,84
50	0,178	4,61
50	0,201	5,71
50	0,220	6,65
50	0,250	8,30



New generation hooklength line, which developed for the feeder fishing, this line has more stiff and stretch.

Length (m)	Diameter (mm)	Breaking Strain (kg)
50	0,14	2,94
50	0,16	3,65
50	0,18	4,00
50	0,20	5,41
50	0,22	6,22



As it name suggest this is a hooklength line with unique strength, what is nearly invisible in the water. Made by the most modern technologies and materials. It is extremely resistant to twist and tangles.

Length (m)	Diameter (mm)	Breaking Strain (kg)
50	0,081	1,04
50	0,102	1,65
50	0,125	2,42
50	0,145	3,18
50	0,163	3,98
50	0,183	4,77
50	0,202	5,93





2080





This braid hooklength made of the latest technology, weaving with 8 carriers, which ensure the cyclic cross-section. Due to this technology and PE fiber are ensure the precize and maximum tensile for the lines.

Length (m)	Diameter (mm)	Breaking Strain (kg)
15	0,08	3,8
15	0,10	5,1
15	0,12	6,3
15	0,14	7,6
15	0,16	9,5

KEVLINE braid hooklength line

2081





This special angling line is made from 50% Kevlar and 50% PE fibre. Sinking design, which resists damage remarkably well, and allows use under extreme conditions.

Length (m)	Breaking Strain (kg)	Breaking Strain (lb)
10	6,8	15
10	9,1	20
10	11,3	25

「さらしら」 braid hooklength line

2082





This sinking braided line concentrically woven from 8 fibres has been developed to suit the needs of Feeder and Carp anglers. Thanks to its soft and strong design it can be a reliable and favoured equipment for anglers.

Length (m)	Breaking Strain (kg)	Breaking Strain (lb)
10	4,5	10
10	6,8	15
10	9,1	20

FAST SINKING braid hooklength line

2083





We focused entirely on making this angling line sink fast, nestle to the watercourse, to be undetectable by the fish and stay at the bottom.


Length (m)	Breaking Strain (kg)	Breaking Strain (lb)
10	5,4	12
10	8,1	18
10	11,3	25











Length (m)	Diameter (mm)	Breaking Strain (kg)
150	0,12	2,24
150	0,14	2,75
150	0,16	3,46
150	0,18	4,14
150	0,20	5,12
150	0,22	6,54
150	0,25	8,19
150	0,30	11,22
150	0,35	15,49

This new generation sinking line has been developed specifically for waggler fishing. It possesses qualities of high abrasion resistance and extremely low surface friction which enables easy casting and creates fast sink rates


Length (m)	Diameter (mm)	Breaking Strain (kg)
150	0,14	2,21
150	0,16	2,77
150	0,18	3,31
150	0,20	4,10
150	0,23	5,23
500	0,16	2,77
500	0,18	3,31
500	0,20	4,10
500	0,23	5,23





Unique and individual innovation made by Cralusso is the **QSP system**, which one helps to reach the optimum line filling. With this solution can avoid the multi-winding and for the reel be over or underfilled. For the **QSP system** labeled lines you can find measuring plates attached which ones support the precise loading of the reel. The QSP downloadable as an application from Google Play and App Store.

Please, measure the diameter and height of the spool!



Please apply the measurements into the calculator that you will find on our webpage!







Select the appropriate value from the indicator and wind the stated amount onto the spool!



4

When you have wound the indicated amount of line onto the reel, it should be at the optimal level!











This line is recommended for feeder fishing. It is very resilient and has a medium sink rate. The super low friction surface ensures fast movement through the water and positive contact with the fish

Length (m)	Diameter (mm)	Breaking Strain (kg)
150	0,18	4,4
150	0,20	5,5
150	0,22	6,9
150	0,25	8,6
150	0,30	11,8

METHOD FEEDER SINKING

2072

2073





Premium quality fishing line.
This high-tech copolymer fishing line produced the best results in our tests.
It is a very strong, fast-sinking line with low extensibility, which, thanks to its special low-friction coating, enables 10% longer casts and an extended lifetime.

Length (m)	Diameter (mm)	Test (Kg)
300	0,18	4,6
300	0,20	5,8
300	0,22	6,9
300	0,25	8,8
Length (m)	Diameter (mm)	Test (Kg)
Length (m) 600	Diameter (mm) 0,18	Test (Kg) 4,6
3 ()		(3/
600	0,18	4,6
600 600	0,18 0,20	4,6 5,8







A reliable fishing line with high tensile strength. UV and abrasion resistant. The extraordinary smooth surface ensures effortless long range casting.

Length (m)	Diameter (mm)	Breaking Strain (kg)
150	0,18	4,4
150	0,20	5,5
150	0,22	6,9
150	0,25	8,6
150	0,30	11,8
Length (m)	Diameter (mm)	Breaking Strain (kg)
Length (m) 350	Diameter (mm) 0,18	Breaking Strain (kg) 4,4
5 ()		
350	0,18	4,4
350 350	0,18 0,20	4,4 5,5



This low-stretch line specially developed for feeder and carp fishing.
The fluoro carbon coating guarrantee longer casting distance and faster sinking.

Length (m)	Diameter (mm)	Test (Kg)	Fish test (Kg)
150	0,18	2,8	5,1
150	0,20	3,4	6,5
150	0,22	4,0	7,3
150	0,25	5,1	9,5
150	0,30	7,2	13,0
300	0,18	2,8	5,1
300	0,20	3,4	6,5
300	0,22	4,0	7,3
300	0,25	5,1	9,5
300	0,30	7,2	13,0



This line is recommended for feeder and carp fishing. It has a medium sink rate, high abrasion resistance and very low surface friction that assists with long range casting and minimal damage.

Length (m)	Diameter (mm)	Breaking Strain (kg)
500	0,20	5,1
500	0,22	6,5
500	0,25	8,2
500	0,30	11,2







Fine-woven, quiet, moderately soft-braided fishing line with high tensile strength, wear-resistant surface and zero elongation. Thanks to its thin, special coating, it slides quietly and easily between the rings. Thus, it allows longer casts for spinning anglers even with lighter baits.

Length (m)	Diameter (mm)	Breaking Strain (kg)
100	0,10	5,8
100	0,12	6,9
100	0,15	8,7
100	0,18	11,4
100	0,20	14,2



Fluoro carbon is being nealy invisible in water and this 100% fluoro carbon exceeds all expectations. It has a low stretch and fast sinking rate.

Length (m)	Diameter (mm)	Breaking Strain (kg)
30+10	0,14	1,92
30+10	0,16	2,52
30+10	0,18	3,09
30+10	0,20	3,90
30+10	0,22	5,06
30+10	0,25	6,12
30+10	0,30	7,55
30+10	0,40	14,55
30+10	0,50	20,24







Cralusso latest development, NAVIGATOR line family



The Navigator Match Sinking line is a world first from Cralusso. Judging distance on water is very difficult for everyone. This new generation of line provides a solution for this problem. Every 5m you will find a mark, so you can determine the distance from the color-code(every color indicates different distance) and this will assist you to fish accurately at the same distance each cast. It possesses qualities of high abrasion resistance and low surface friction, which enables effortless casting and creates fast sink rates. You will find the illustration at the bottom of the page and further information on our website.

Cralusso's unique development of the QSP system is utilised on this line and allows spooling up to be completed quickly, accurately and precisely. The QSP system helps to ensure the optimum amount of line is put onto the spool. You can find further information on page 30 and on the relevant webpage.

QSP	QR	CODE
	35	; 🗊
	×	
	X	1
	W	**

Length (m)	Diameter (mm)	Breaking Strain (kg)
150	0,16	2,70
150	0,18	3,30
150	0,20	4,10
150	0,23	5,20

Első 20 m jelöletlen, majd 20	25	30	35	40	45	50	55	60	65	70 m	
Navigator Match											150 m



The **Navigator** Feeder fishing line provides great opportunities for both carp and feeder anglers.

Short and long range distances, features and clipping up points are easily identified and there is no problem if you use two or more rods. The line is marked every 5m and this will assist you to fish accurately at the same distance. Please look at the diagram and further information can be found on our webpage.

This line was developed in accordance with the requirements of high profile carp and feeder anglers - it is extremely strong, has a medium sink rate, possesses high tensile strength with low stretch and is an easily managed.

THE SOLUTION: The QSP system which is only provided by Cralusso! It will help to avoid the need for multiple attempts at filling spools accurately. You will find the description on page 30 and further information on our webpage.

QSP QR CODE	
回殺戮回	
PER 1990	
20.00	


Length (m)	Diameter (mm)	Breaking Strain (kg)
200	0,18	4,40
200	0,20	5,51
200	0,22	6,90
200	0,25	8,60

Első 20 m jelöletlen 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100 105 m Navigator Feeder 200 m



Recommend to the following line thicknesses:

Length (m)	Diameter (mm)	Monofil	Braided (mm)
10	0,65	0,12-0,18	0,06-0,10
10	0,80	0,18-0,25	0,10-0,16
10	1,00	0,25-0,35	0,16-0,22





Chika

Size Rooklength Weight (gr) Diameter (mm) Pcs/bag

2405

Flatted - Round

J	7	7	7	7	7	
18	16	15	14	12	10	8
0,10	0,10-0,11	0,12	0,12	0,12-0,13	0,13-0,14	0,14
0,005	0,008	0,011	0,014	0,018	0,024	0,029
0.28	0.33	0.36	0.39	0.43	0.46	0.48

16

14

14

14



Koaji Round Koaji Round Brass

16

16

2410 2411

16

Flatted - Round

		\cup	\bigcirc	\cup	\cup
Size	16	14	12	10	8
Hooklength Line Selt & Strong	0,10-0,11	0,12	0,14	0,14-0,15	0,16
Weight (gr)	0,009	0,016	0,023	0,036	0,049
Diameter (mm)	0,33	0,41	0,46	0,54	0,60
Pcs/bag	16	16	14	14	14





Shin Aji

Size

Hooklength

Weight (gr)

Diameter (mm)

XTREME

Pcs/bag

2415

Flatted - Large Forged



0,18

0,10

0,045

0,57

11

(
.)	
\bigcup	

0,20

0,12

0,066

0,64

10



7

0,25

0,16

0,094

0,72

9



\bigcup	
5	
0,30	
0,18	
0,14	
0,81	
8	







Umi Tango 2420 Flatted - Forged Si

	\mathcal{L}		\cup	\bigcup	\bigcup	\bigcup
Size	16	14	12	10	8	6
Rooklength Line Selt & Strong	0,12	0,12-0,14	0,14-0,16	0,16	0,18	0,18-0,20
KTREME				0,08	0,10	0,10-0,12
Weight (gr)	0,014	0,024	0,034	0,051	0,083	0,103
Diameter (mm)	0,39	0,46	0,51	0,57	0,68	0,72
Pcs/bag	12	12	12	12	11	10



SB Chinu

Size Hooklength TREME Weight (gr) Diameter (mm) Pcs/bag

2430

Double (one normal and one micro) edge point

Flatted – Forged and Curved

			0	
10	8	6	4	2
0,20	0,22	0,25	0,30	0,32-0,35
0,12-0,14	0,14	0,16	0,18	
0,049	0,061	0,077	0,134	0,2
0,6	0,68	0,72	0,86	0,99
10	10	9	9	7





Delta Chinu

2435

Triple edge point - Trust Grip - Forged and Curved



ze	10	8	6	4	2
cooklength Cine Soft & Strong	0,18	0,20	0,22-0,25	0,25-0,30	0,30-0,35
TREME	0,10	0,12-0,14	0,14-0,16	0,16-0,18	
eight (gr)	0,048	0,070	0,084	0,137	0,198
ameter (mm)	0,6	0,68	0,72	0,86	0,99
cs/bag	8	8	8	7	6
eight (gr) ameter (mm)	0,18 0,10 0,048 0,6	0,20 0,12-0,14 0,070 0,68	0,22-0,25 0,14-0,16 0,084 0,72	0,25-0,30 0,16-0,18 0,137	0,198


2440





Chinu W/Ring

With PTFE coat



Size	10	8	6	4	2
Rooklength Line Soft & Strong	0,18	0,20	0,22-0,25	0,25-0,30	0,30-0,35
KTREME	0,10	0,12-0,14	0,14-0,16	0,16-0,18	0,18
Weight (gr)	0,063	0,082	0,10	0,15	0,23
Diameter (mm)	0,6	0,68	0,72	0,86	0,99
Pcs/bag	14	14	13	12	10









The biggest fish at the 2014 world championship held in Croatia, a 4,6kg barbel was caught on the fast-flowing Drava by Arjan Klop, member of the world champion Dutch team using our 2445 Chinu hook. This hook has also proven its worth many times! Made of forged Japanese steel, extremely sharp, despite its medium thick stem it is remarkably strong. A reliable companion during tiring.

Chinu 2445 Brass



	\cup	\cup			
Size	12	11	10	8	6
Hooklength Line Soft & Strong	0,18	0,20	0,22-0,25	0,25-0,30	0,30-0,35
TREME	0,10	0,12-0,14	0,14-0,16	0,16-0,18	0,18
Weight (gr)	0,031	0,039	0,048	0,066	0,079
Diameter (mm)	0,6	0,68	0,72	0,86	0,99
Pcs/bag	14	14	14	14	14

2450



OU

Maruseigo horog

With PTFE coat

		1
14	12	10









Size	14	12	10	8	6	4	2
Rooklength Line Selt & Strong	0,20	0,22	0,28	0,35	0,40	0,40	0,45
KTREME	0,12-0,14	0,14	0,16-0,18				
Weight (gr)	0,031	0,048	0,071	0,104	0,156	0,236	0,367
Diameter (mm)	0,6	0,68	0,72	0,86	0,99	1,06	1,13
Pcs/bag	12	11	11	10	9	8	7

Gripper Carp

2455

With PTFE coat

Size	8	6	4
Recommended max.line strength	18 lb	20 lb	22 lb
Weight (gr)	0,18	0,24	0,29
Diameter (mm)	0,94	0,98	1,10
Pcs/bag	8	8	8







2460

OI



Size	8	6	4
Recommended max.line strength	17 lb	24 lb	30 lb
Weight (gr)	0,092	0,145	0,224
Diameter (mm)	0,78	0,89	1,03
Pcs/bag	8	8	8



Anti Snag

2465

OI

With PTFE coat

Size	8	6	4	2
Recommended max. line strength	18 lb	23 lb	34 lb	37 lb
Weight (gr)	0,17	0,22	0,37	0,40
Diameter (mm)	0,98	1,03	1,22	1,26
Pcs/bag	8	8	8	8



OI

CARPower

Size

2470

With	DTE	coat	
VVILII	PIFE	: COat	

Recommended max. Monofil line
Recommended max. braided line
Weight (gr)

Diameter (mm)

Pcs/bag

J	J					
14	12	10	8	6	4	2
0,20	0,22	0,25	0,28	0,32	0,35	0,38
0,12	0,14	0,16	0,18	0,20	0,20	0,22
0,028	0,03	0,043	0,054	0,092	0,131	0,23
0,48	0,52	0,62	0,75	0,85	0,951	1,06

12

12

12

10



CARPmagnet Barbless

12

2472

12

12

Size	12	10	8	6	4
Hooklength Line Soft & Strong	0,22	0,25	0,28	0,30	0,35
KIREME	0,14	0,16	0,18	0,2	0,22
Weight (gr)	0,049	0,075	0,093	0,107	0,167
Diameter (mm)	0,64	0,72	0,76	0,81	0,92
Pcs/bag	12	12	12	12	12





Zander-worm

2480



Size	2	1	1/0	2/0
Weight (gr)	0,219	0,272	0,338	0,439
Diameter (mm)	0,86	0,92	0,99	1,07
Pcs/bag	8	8	8	8



Quality swivels and accessories at a reasonable price!



Rolling swivel, black	2109				
0=0	0=0	Size	Test	Weight	Pcs/bag
0-0	, 0-0	3/0	100 kg	1,82 gr	3 pcs
0.50	O==O	2/0 1/0	75 kg	1,28 gr	4 pcs 5 pcs
~=~	, 0-0	2	60 kg 43 kg	0,90 gr 0,53 gr	6 pcs
	0=0	4	35 kg	0,33 gr	8 pcs
~=~	0-0	6	30 kg	0,19 gr	12 pcs
V-V	0=0	8	19 kg	0,12 gr	12 pcs
	0-0	10	14 kg	0,07 gr	12 pcs
○	○	12	9 kg	0,06 gr	12 pcs
Golden swivel	2110				
		Size	Test	Weight	Pcs/bag
Exclusive design	0=0	3	40 kg	0,41 qr	10 pcs
~ = ~	0=0	5	32 kg	0,25 gr	12 pcs
	000	7	22 kg	0,13 gr	12 pcs
	000	10	14 kg	0,07 gr	12 pcs
	0=0	14	4 kg	0,04 gr	12 pcs
Rhombus swivel	2111				
		Size	Test	Weight	Pcs/bag
	000	5 5	27 kg	0,25 gr	12 pcs
~~~	080	7	19 kg	0,25 gr	12 pcs
	080	10	9 kg	0,13 gr	12 pcs
	080	12	6 kg	0,06 gr	12 pcs
	080	14	4 kg	0,04 gr	12 pcs
Double swivel	2112				·
Double Swiver	2112	Cina	Took	Waiaht	Dec/hee
	0==0	Size 5	Test 32 kg	Weight 0,44 gr	Pcs/bag
0.000	0000	7	22 kg	0,44 gr 0,25 gr	12 pcs 12 pcs
	0000	10	14 kg	0,13 gr	12 pcs
	0000	12	8 kg	0,09 gr	12 pcs
	0.000	14	4 kg	0,06 gr	12 pcs
Triple speed swivel	2113		J		
Triple speed swivet		Size	Test	Weight	Pcs/bag
	0===0	7	22 kg	0,23 gr	12 pcs
	0===0	10	14 kg	0,112 gr	12 pcs
00	00000	12	8 kg	0,10 gr	12 pcs
	00000	14	4 kg	0,062 gr	12 pcs
Triple chain swivel	2114				
Triple chain swivet		Size	Test	Weight	Pcs/bag
	-	7	22 kg	0,23 gr	12 pcs
	○ <del>=</del> ®=®=0	10	14 kg	0,112 gr	12 pcs
	00000000	14	4 kg	0,062 gr	12 pcs
Swivel & safety snap	2115				
		Size	Test	Weight	Pcs/bag
	000	5	9 kg	0,40 gr	12 pcs
	OHOM	7	7 kg	0,23 gr	12 pcs
	0=43	10	5 kg	0,14 gr	12 pcs
	0	14	3 kg	0,10 gr	12 pcs
Crane swivel with interlock sna	p 2116				
	000	Size	Test	Weight	Pcs/bag
11 -		2	18 kg	0,52 gr	10 pcs
	000	4	14 kg	0,38 gr	12 pcs
	000	6	12 kg	0,26 gr	12 pcs
	000	8	10 kg	0,16 gr	12 pcs
	000	10	9 kg	0,12 gr	12 pcs
Double rolling swievel with	2150				
interlock snap	0000	Size	Test	Weight	Pcs/bag
11	0000	6	12 kg	0,43 gr	6 pcs
	and the	8	10 kg	0,26 gr	6 pcs
	0000	10	10 kg	0,20 gr	6 pcs
	000000000	12	7 kg	0,15 gr	6 pcs



## Quality swivels and accessories at a reasonable price!

Swivel with hooked snap	2117				
5Wivet With Hooked Shap	00000	Size	Test	Weight	Pcs/bag
	0	5	28 kg	0,55 gr	12 pcs
	0-0-0	7	20 kg	0,25 gr	12 pcs
0-00	0000	10 14	12 kg 4 kg	0,13 gr 0,06 gr	12 pcs 12 pcs
	000	14	4 Ky	0,06 gi	12 μς
Ball bearing swivel with snap	2118				
	000	Size	Test	Weight	Pcs/bag
000	000	0	12 kg	0,32 gr	6 pcs
(5-7)	000	1	18 kg	0,52 gr	6 pcs
		2	25 kg	0,76 gr	6 pcs
	0=0	4	35 kg	1,60 gr	6 pcs
Swing coastlock snap	2119				
	0=	Size	Test	Weight	Pcs/bag
$\sim$	~	6	30 kg	0,32 gr	12 pcs
	~ <del>_</del>	8	19 kg	0,20 gr	12 pcs
	<u>~=</u>	10	14 kg	0,12 gr	12 pcs
	~ <del>~</del>	12	9 kg	0,08 gr	12 pcs
Side-line rolling swivel	2120				
	O.M. critis	Size	Test	Weight	Pcs/bag
-8-0	00000	2	43 kg	0,88 gr	6 pcs
	0=-===	4	35 kg	0,56 gr	6 pcs
	0-2-450	6	30 kg	0,32 gr	6 pcs
	00-40	8	19 kg	0,18 gr	6 pcs
Corner plate swivel	2121				
d	2121	Size	Weight	Pcs/bag	
Λ	N .	6	1,3 gr	3 pcs	
		8	0,94 gr	3 pcs	
4	2	10	0,57 gr	3 pcs	
Brass Head Safety Snap	2122				
2.235 Hour carety Shap					
	A X X X	Siza	Weight	Pcs/hag	
		Size S	Weight	Pcs/bag	
0		S	0,17 gr	6 pcs	
Plastic head swivel with interlock		S M	0,17 gr 0,26 gr	6 pcs 6 pcs	
Plastic head swivel with interlock		S M Size	0,17 gr 0,26 gr Weight	6 pcs 6 pcs Pcs/bag	
Plastic head swivel with interlock		S M Size S	0,17 gr 0,26 gr Weight 0,15 gr	6 pcs 6 pcs Pcs/bag 6 pcs	
Plastic head swivel with interlock		S M Size	0,17 gr 0,26 gr Weight	6 pcs 6 pcs Pcs/bag	
	snap 2123	S M Size S M	0,17 gr 0,26 gr Weight 0,15 gr 0,23 gr	6 pcs 6 pcs Pcs/bag 6 pcs 6 pcs	Pre/han
Plastic head swivel with interlock  Self-lock rotating snap		Size S M	0,17 gr 0,26 gr Weight 0,15 gr 0,23 gr	6 pcs 6 pcs Pcs/bag 6 pcs 6 pcs Weight	Pcs/bag 4 ncs
	snap 2123	Size S M Size S 4/0	0,17 gr 0,26 gr Weight 0,15 gr 0,23 gr Test 90 kg	6 pcs 6 pcs Pcs/bag 6 pcs 6 pcs Weight 3,50 gr	4 pcs
	snap 2123	Size S M Size S M Size 4/0 2/0	0,17 gr 0,26 gr Weight 0,15 gr 0,23 gr Test 90 kg 70 kg	6 pcs 6 pcs Pcs/bag 6 pcs 6 pcs Weight 3,50 gr 1,84 gr	4 pcs 6 pcs
	snap 2123	Size S M Size 4/0 2/0 1	0,17 gr 0,26 gr Weight 0,15 gr 0,23 gr Test 90 kg 70 kg 55 kg	6 pcs 6 pcs Pcs/bag 6 pcs 6 pcs Weight 3,50 gr 1,84 gr 1,06 gr	4 pcs 6 pcs 10 pcs
	snap 2123	Size S M Size 4/0 2/0 1 3	0,17 gr 0,26 gr Weight 0,15 gr 0,23 gr Test 90 kg 70 kg 55 kg 40 kg	6 pcs 6 pcs 6 pcs 6 pcs 6 pcs 6 pcs Weight 3,50 gr 1,84 gr 1,06 gr 0,67 gr	4 pcs 6 pcs 10 pcs 10 pcs
	snap 2123	Size S M Size 4/0 2/0 1	0,17 gr 0,26 gr Weight 0,15 gr 0,23 gr Test 90 kg 70 kg 55 kg 40 kg 30 kg	6 pcs 6 pcs 6 pcs 6 pcs 6 pcs 6 pcs Weight 3,50 gr 1,84 gr 1,06 gr 0,67 gr 0,43 gr	4 pcs 6 pcs 10 pcs 10 pcs 12 pcs
	2124	Size S M Size 4/0 2/0 1 3 5	0,17 gr 0,26 gr Weight 0,15 gr 0,23 gr Test 90 kg 70 kg 55 kg 40 kg	6 pcs 6 pcs 6 pcs 6 pcs 6 pcs 6 pcs Weight 3,50 gr 1,84 gr 1,06 gr 0,67 gr	4 pcs 6 pcs 10 pcs 10 pcs
Self-lock rotating snap	2124 2124	Size S M Size 4/0 2/0 1 3 5 7	0,17 gr 0,26 gr Weight 0,15 gr 0,23 gr Test 90 kg 70 kg 55 kg 40 kg 30 kg 15 kg 10 kg	6 pcs 6 pcs 6 pcs 6 pcs 6 pcs 6 pcs Weight 3,50 gr 1,84 gr 1,06 gr 0,67 gr 0,43 gr 0,24 gr 0,14 gr	4 pcs 6 pcs 10 pcs 10 pcs 12 pcs 12 pcs 12 pcs
	snap 2123 2124	Size S M Size S M Size 4/0 2/0 1 3 5 7 10	0,17 gr 0,26 gr  Weight 0,15 gr 0,23 gr  Test 90 kg 70 kg 55 kg 40 kg 30 kg 15 kg 10 kg	6 pcs 6 pcs 6 pcs 6 pcs 6 pcs 6 pcs Weight 3,50 gr 1,84 gr 1,06 gr 0,67 gr 0,43 gr 0,24 gr 0,14 gr	4 pcs 6 pcs 10 pcs 10 pcs 12 pcs 12 pcs 12 pcs 12 pcs
Self-lock rotating snap	2124 2124	Size S M Size S M Size 4/0 2/0 1 3 5 7 10 Size 00	0,17 gr 0,26 gr  Weight 0,15 gr 0,23 gr  Test 90 kg 70 kg 55 kg 40 kg 30 kg 15 kg 10 kg	6 pcs 6 pcs 6 pcs 6 pcs 6 pcs 6 pcs Weight 3,50 gr 1,84 gr 1,06 gr 0,67 gr 0,43 gr 0,24 gr 0,14 gr Weight 0,03 gr	4 pcs 6 pcs 10 pcs 10 pcs 12 pcs 12 pcs 12 pcs Pcs/bag 12 pcs
Self-lock rotating snap	2124 2124	Size S M Size S M Size 4/0 2/0 1 3 5 7 10 Size 00	0,17 gr 0,26 gr  Weight 0,15 gr 0,23 gr  Test 90 kg 70 kg 55 kg 40 kg 30 kg 15 kg 10 kg	6 pcs 7 pcs 8 pcs 8 pcs 9 pcs 1,84 gr 1,06 gr 1,06 gr 1,043 gr 1,043 gr 1,043 gr 1,044 gr 1,05 gr 1,044 gr 1,06 gr 1,06 gr 1,07 gr 1,08 gr 1,09 gr 1,09 gr 1,09 gr 1,09 gr 1,09 gr 1,09 gr	4 pcs 6 pcs 10 pcs 10 pcs 12 pcs 12 pcs 12 pcs 12 pcs 12 pcs 12 pcs
Self-lock rotating snap	2124 2124	Size S M Size S M Size 4/0 2/0 1 3 5 7 10 Size 00 0	0,17 gr 0,26 gr  Weight 0,15 gr 0,23 gr  Test 90 kg 70 kg 55 kg 40 kg 30 kg 15 kg 10 kg	6 pcs 7 pcs 8 pcs 8 pcs 8 pcs 9 pcs 1,84 gr 1,06 gr 1,06 gr 1,043 gr 1,043 gr 1,043 gr 1,044 gr 1,05 gr 1,06 gr 1,06 gr 1,07 gr 1,08 gr 1,08 gr 1,09 gr 1,09 gr 1,09 gr 1,09 gr	4 pcs 6 pcs 10 pcs 10 pcs 12 pcs
Self-lock rotating snap	2124 2124	Size S M Size S M Size 4/0 2/0 1 3 5 7 10 Size 00	0,17 gr 0,26 gr  Weight 0,15 gr 0,23 gr  Test 90 kg 70 kg 55 kg 40 kg 30 kg 15 kg 10 kg	6 pcs 7 pcs 8 pcs 8 pcs 9 pcs 1,84 gr 1,06 gr 1,06 gr 1,043 gr 1,043 gr 1,043 gr 1,044 gr 1,05 gr 1,044 gr 1,06 gr 1,06 gr 1,07 gr 1,08 gr 1,09 gr 1,09 gr 1,09 gr 1,09 gr 1,09 gr 1,09 gr	4 pcs 6 pcs 10 pcs 10 pcs 12 pcs 12 pcs 12 pcs 12 pcs 12 pcs 12 pcs

# Quality swivels and accessories at a reasonable price!



Rolling swivel with nice snap	2127
	0=0
	0=0
	000
	000
	0007

Size	Test	Weight	Pcs/bag
4/0	70 kg	2,05 gr	4 pcs
2/0	44 kg	1,45 gr	6 pcs
1	38 kg	0,92 gr	10 pcs
3	33 kg	0,68 gr	12 pcs
5	27 kg	0,44 gr	12 pcs
7	20 kg	0,27 gr	12 pcs
10	12 kg	0,13 gr	12 pcs


Quick snap with fixi	2128		
00			
	Size	Pcs/bag	
0	6	6 pcs	
00	8	6 pcs	



Swivel with pearl beads and		2129	
rubber stopper			
	Size	Pcs/bag	
	M	2×4 pcs	
and the same of th			
-8-			










# Quality swivels and accessories at a reasonable price!

### Match Quick snap

2132



Size	Pcs/bag
8	6 pcs
10	6 pcs
12	6 pcs
14	6 ncs



Rolling quick snap

2134





Size	Test	Weight	Pcs/bag
8	9 kg	0,16 gr	6 db
10	7 kg	0,1 gr	6 db
12	5 kg	0,06 gr	6 db
14	3 kg	0,04 gr	6 db

Feeder quick snap

2133





Soft beads

2141

1,2×6mm 8 pcs/bag



 $Y \cap Y'$ 

2137

Most powerful method snap

Method power quick snap



Size	Test	Weight	Pcs/bag
8	9 kg	0,36 gr	6 db

### Swivel with side line clip






2135

Size	Test	Weight	Pcs/bag
8	14 kg	0,20 gr	12 pcs
10	9 kg	0,12 gr	12 pcs
12	4 kg	0,08 gr	12 pcs

Double quick snap swivel

2136



Size	Test	Weight	Pcs/bag
8	9 kg	0,24 gr	6 db
10	7 kg	0,15 gr	6 db
12	5 kg	0,1 gr	6 db
14	3 kg	0,06 gr	6 db

Not-A-Knot swivel

2146


XXL 40 kg 6 pcs/bag







# Distance holders, Fixing wedges





# Pop up, Fluo mini boilie

Code	Size	Weight	Flavor
coue	SIZE	Weight	Ιιανοι
2660	10 mm	40 gr	Fluo vanilla
2665	10 mm	40 gr	Fluo pineapple
2670	10 mm	40 gr	Fluo scopex
2677	12 mm	40 gr	Fluo vanilla
2678	12 mm	40 gr	Fluo pineapple






# Pop up white mini boilie


Code	Size	Weight	Flavor
2680	8 mm	20 gr	Garlic
2685	8 mm	20 gr	N-Butyric acid
2690	12 mm	40 gr	Garlic
2695	12 mm	40 gr	N-Butyric acid








No need to bother anymore with mounting, just hang up the balanced hooklength into the method snap from the box. The hook and the bait size, thickness of hooklength and balance lead harmonize with each other what is one of the main part of successful fishing. Contains one prepared hooklength per box.





# Hook bait and pellets





# **Jelly Corn**

Code

2800

2805

2810

2815



### Baits of human food quality, with added vitamins.

Flexible corn developed using raw materials approved by the Aquaculture Department of Szent István University; fully biodegradable and digestible for fish. The vitamin-enriched, coloured and flavoured corns are quick to attract fish, making them an excellent bait. Just stick it on your hook, bait pin or boilie stopper. You'll find corns of three different sizes in your box. These baits, made from dyed natural input materials do not stain your hands. They dry and shrink a little if left in open air, while in water they swell somewhat.

**NOT PLASTIC!** 

Scientists estimate that for conventional plastic corn baits it takes about 500 years to decompose!

LET'S PROTECT THE ENVIRONMENT AND FISH!

Code	Colour	Flavor	Pcs/bag
2505	yellow	Pineapple	30 pcs
2506	red	Strawberry	30 pcs
2507	orange	chocolate-orange	30 pcs
2520	white	N-butyric acid	30 pcs
2521	pink	Pepper sausage	30 pcs
2522	yellowish green	Garlic	30 pcs
2523	green	brandy corn	30 pcs

# -FISHING-MASTER

### Aroma spray

Code	Flavor	L. measure
2850	Fluo pineapple	50 ml
2855	Strawberry	50 ml
2865	Garlic	50 ml
2870	Pepper sausage	50 ml
2875	Squid, octopus	50 ml











# -FISHING-MASTER

### Method gel

Code	Flavor	Weight
2880	Fluo pineapple	100 gr
2881	Strawberry	100 gr
2882	Caramel	100 gr
2883	Garlic	100 gr
2884	Fluo squid octopus	100 gr
2885	Cheese	100 gr





CERTITION



Code	Weight	Flavor
2900	60 gr	Strawberry
2901	60 gr	Orange
2902	60 gr	Caramel
2903	60 gr	Squid-octopus

CRALUSSO Na Activator

SACTOR .

Chalusso

000

CRALUSS




Code	Size	Weight	Effervesence	Flavor
2820	9 mm	100 gr	5 min	Pineapple+Plankton
2821	9 mm	100 gr	5 min	Competition Plankton & Bloodworm
2825	12 mm	100 gr	5 min	Strawberry
2830	12 mm	100 gr	10 min	Scopex
2831	12 mm	100 gr	5 min	Sweet Corn
2835	12 mm	100 gr	10 min	Garlic
2840	20 mm	100 gr	10 min	Big Fish Secret Salmon Krill
2841	20 mm	100 gr	10 min	Mussel





of 12 activator



# Tripod







# Feeder Basket

Code

3210-20

3210-25

3210-30

3210-40

3210-50



Pcs/bag

2 pcs

2 pcs

2 pcs

2 pcs

2 pcs

### Method basket plated

(packing bag)





3210

3205

	Code	Weight	Pcs/bag
$\wedge$	3205-20	20 gr	2 pcs
	3205-25	25 gr	2 pcs
X	3205-30	30 gr	2 pcs
TE \	3205-40	40 gr	2 pcs

Weight

20 gr

25 gr

30 gr

40 gr

50 gr

Method basket stemed

(packing bag)





Eco method basket set

3250

Set:

EXC method feeder 20 g - 1 pcs

EXC method feeder 30 g - 1 pcs

EXC method modul - 1 pcs

Rolling swivel 10 – 2 pcs

Method basket charger

3215







Aerowinged basket

3280

(packing bag)





		Y Y
Code	Weight	Pcs/bag
3280-20	20 gr	2 pcs
3280-30	30 gr	2 pcs
3280-40	40 gr	2 pcs

Vario feeder 2 in 1 basket

3290

2 pcs/bag




Code	Weight	Pcs/bag
3290-20	20 gr	2 pcs
3290-30	30 gr	2 pcs
3290-40	40 gr	2 pcs



## Feeder Basket








Pop-up feeder basket 3295 adjustable



3296




The pop-up feeder basket weighs only 2 grams. Filled with feed, it sinks to the bottom and stays there until much of the feed is dissolved. Thereafter, its light buoyancy brings it slowly towards the surface, 'scanning' through the entire water column. Takes may be expected in multiple phases, either in midwater, with the bait sinking slowly together with the basket, or lying on the bottom, but often it is the bait rising up to midwater that triggers an intensive take. The speed of sinking or rising can be controlled thanks to the adjustable design.



# New generation method baskets and fillers

A unique innovation: patented Cralusso method baskets with longitudinal ribs. Thanks to its special design the hook is less likely to become attached to the longitudinal ribs and it perfectly retains the feed as long as necessary and quickly releases it in the water. With its centre of gravity close to its front end it is particularly suitable for long and accurate throws. You can replace your feeder basket with one of a different size simply and quickly, without having to take apart your tackle.



### Sensitive method basket





Code	Weight	Pcs/bag
3300-25	25 gr Lead free	1 pcs
3300-30	30 gr Lead free	1 pcs
3300-40	40 gr Lead free	1 pcs
3300-50	50 gr	1 pcs
3300-70	70 gr	1 pcs

Rocket method basket







Weight	Pcs/bag
25 gr Lead free	1 pcs
30 gr Lead free	1 pcs
40 gr Lead free	1 pcs
50 gr	1 pcs
70 gr	1 pcs
	25 gr Lead free 30 gr Lead free 40 gr Lead free 50 gr

# DOUBLE CHANCE method, a unique Innovation for catching more fish!



Duble Chance Method basket

**NEW** 3315




Kód	Súly	Db/csomag
3315-25	25 gr Lead free	1 db
3315-30	30 gr Lead free	1 db
3315-40	40 gr Lead free	1 db
3315-50	50 gr	1 db
3315-70	70 gr	1 db

The Double Chance Method basket is Cralusso's latest, unique development. Use the newly developed basket for even more successful fishing! Two baits, of different flavours and buoyancies can be presented simultaneously to find the day's winner bait. When you pull out your rig after an unfinished or a missed take and check the hooklength (long one, see the drawing), you'll see which bait attracted the fish. While playing a hooked fish the other hook safely retracts into the basket tube – to keep the fish from being harmed and avoid getting the hook caught in rocks or vegetation in the water.











SHELL Method mould





We recommend that you use 3350 Blue Shell Method filling device for filling Double Chance feeder baskets. The gaps on the side of the openable device accommodate the two lateral wings of the Double Chance basket. The Blue Shell method feeder basket filling device provides for simple and quick filling, and the feeding stuff will never stick to it. You simply open the device off the filled basket.











# Method packages

# Sensitive package

3360



Rocket package

3365



Code	Weight	Pcs/bag
3365-25	25 gr Lead free	2 pcs
3365-30	30 gr	2 pcs
3365-40	40 gr	2 pcs
3365-50	50 gr	2 pcs
3365-70	70 gr	2 pcs

### Code Pcs/bag Weight 3360-25 25 gr Lead free 2 pcs 2 pcs 30 gr 3360-30 3360-40 40 gr 2 pcs 3360-50 50 gr 2 pcs 3360-70 70 gr 2 pcs

Double Chance Method basket package

3375



Code	Weight	Pcs/bag
3375-30	30 gr	2 pcs
3375-40	40 gr	2 pcs
3375-50	50 gr	2 pcs
3375-70	70 gr	2 pcs



# Method set

# CRALUSSO

### Sensitive set

3400



Rocket set 3405



Code	Weight	Pcs/bag
3405-25	25 gr Lead free	2+1 pcs
3405-30	30 gr	2+1 pcs
3405-40	40 gr	2+1 pcs
3405-50	50 gr	2+1 pcs
3405-70	70 gr	2+1 pcs

Code	Weight	Pcs/bag
3400-25	25 gr Lead free	2+1 pcs
3400-30	30 gr	2+1 pcs
3400-40	40 gr	2+1 pcs
3400-50	50 gr	2+1 pcs
3400-70	70 gr	2+1 pcs

Double Chance Method basket set

3410



Weight	Pcs/bag
30 gr	2+1 pcs
40 gr	2+1 pcs
50 gr	2+1 pcs
70 gr	2+1 pcs
	30 gr 40 gr 50 gr





# Innovative openable method basket quick-fillers without the nuisance of feeding stuff sticking inside. They can be used for a variety of method feeder baskets





### **Blue Shell**

Internal size 55×34 mm



**Orange Shell** 

Internal size 55×34 mm



**Green Shell** 

Internal size 49×28 mm



### **Yellow Shell**

Internal size 65×37 mm



3352

An opening guick-filler manufactured for method baskets of the most frequently used sizes and shapes. It can be effectively used with Preston, Energofish, TopMix, Nevis, Haldorádó etc. baskets It makes filling baskets easier and quicker.

### Self-lock patent version!

3353

An opening quick filler to fill up large method baskets. For easy handling of even such extreme materials as glued maggots. Easy to use with Energofish, Haldorádó and other similarly large baskets.

### Self-lock patent version!









Patented method fillers that are simple and quick to use. Recommended for anglers using their filler devices holding them in their hands. In addition to Cralusso's method baskets it is also compatible with the competitionsize baskets manufactured by Guru, Drennen, Mivardi, Haldorádó etc.



### 3351

Its shape is the same as that of Blue Shell. This self-locking version is recommended for anglers preferring to use their filler devices laid down. In addition to Cralusso's method baskets it is also compatible with the competition-size baskets manufactured by Guru, Drennen, Mivardi, Haldorádó, Topmix etc.

Self-lock patent version!







# Feeder kosarak



# Round weight feeder

3011



Code	Weight	Pcs/bag
3011-25	25 gr	2 pcs
3011-35	35 gr	2 pcs
3011-45	45 gr	2 pcs

# Pellet feeder basket

3018



Code	weight	Pcs/bag
3018-25	25 gr	2 pcs
3018-35	35 gr	2 pcs
3018-45	45 gr	2 pcs

# Rocket feeder basket


3019



Code	Weight	Pcs/bag
3019-15	15 gr	2 pcs
3019-25	25 gr	2 pcs
3019-35	35 gr	2 pcs
3019-50	50 gr	2 pcs

# Special round feeder with wire loop

3020



Code	Weight	Pcs/bag
3020-XL	10 gr	2 pcs
3020-XXL	10 gr	2 pcs
3020-XXXL	10 gr	2 pcs
3020-mix	10 gr	3 pcs



### Olive weights with silicone,- two functions in one lead

If the line is threaded through the tube, the olivette can be used as a sliding weight.

If fixed to the line by silicon tubes, then it can be used as changeable weight.





### 3002



Code	Weight	Pcs/bag
3002-1	1,0 gr	5 pcs
3002-1,5	1,5 gr	5 pcs
3002-2	2,0 gr	5 pcs
3002-2,5	2,5 gr	5 pcs
3002-3	3,0 gr	5 pcs
3002-4	4,0 gr	5 pcs
3002-5	5,0 gr	5 pcs
3002-6	6,0 gr	5 pcs
3002-7	7,0 gr	5 pcs
3002-8	8,0 gr	5 pcs
3002-mix	Mixed	5 pcs

## Sounding weight




Code	Weight	Pcs/bag
3003-5	5,0 gr	4 pcs
3003-10	10,0 gr	3 pcs
3003-15	15,0 gr	3 pcs
3003-20	20,0 gr	2 pcs
3003-35	35.0 gr	2 ncs

# 3003



4 pcs/bag



to fix perfectly centrally and without causing damage

Globular weight with central hole,

3	0	0	1



Code	Weight	Pcs/bag
3001-1	1,0 gr	5 pcs
3001-1,5	1,5 gr	5 pcs
3001-2	2,0 gr	5 pcs
3001-2,5	2,5 gr	5 pcs
3001-3	3,0 gr	5 pcs
3001-4	4,0 gr	5 pcs
3001-5	5,0 gr	5 pcs
3001-6	6,0 gr	5 pcs
3001-7	7,0 gr	5 pcs
3001-8	8,0 gr	5 pcs
3001-10	10,0 gr	4 pcs
3001-12	12,0 gr	4 pcs
3001-15	15,0 gr	4 pcs
3001-18	18,0 gr	3 pcs
3001-20	20,0 gr	3 pcs
3001-25	25,0 gr	2 pcs
3001-30	30,0 gr	2 pcs
3001-mix	Mixed	5 pcs

3001-mix




Fix weight without lead, mix

3062







3026-M

Large shot set 150 gr • size 1-7 3026-L

Styl lead set

3028

150 gr







# Anti tangle

Anti tangle tube with strong end 3101

Code	Size	Pcs/bag
3101-30	30 mm	3 pcs
3101-55	55 mm	3 pcs
3101-85	85 mm	3 pcs
3101-120	120 mm	3 pcs

Anti tangle tube with hooked snap 3102

Code	Size	Pcs/bag
3102-80	80 mm	3 pcs
3102-120	120 mm	3 pcs
3102-180	180 mm	3 pcs





Fleece sweater embroidered on both sides Code: 9020 Size:

M - L - XL - XXL





Innovative Fishing Floats and Accessories

2021

# CRALUSSO, CHOICE OF THE WINNERS

Králik & Tsa. Kkt.
H-2600 Vác, Zrínyi u. 3.
Phone/fax:+36/27-304-327
e-mail:cralusso@cralusso.com



www.cralusso.com