

2019



Innovative Fishing Floats and Accessories

CRALUSSO,
CHOICE OF THE WINNERS



www.cralusso.com



From the 900.000 enterprises based in Hungary Mr. Karoly Kralik was chosen, due to his domestic and international results, the creator of Cralusso float range was asked to become a Hungarian Talent Ambassador.

When I decided to launch the company Cralusso, I was very aware that I did not just want to produce floats that were amendments and variations of those already available. I knew that I had to think and work in different ways to the norm - "thinking outside the box" if you like - only that would lead to really new designs and true innovation.

I did not want to create just floats but solutions that made easier and more efficient the catching of fish. In the last nine years, thanks to these revolutionary designs and solutions, Cralusso has become the leading float developer in the angling industry.

The unique solutions of our products help the anglers realize their dreams, be it the title of world champion or the biggest catch of their lives. Our innovative products are marketed and used in nearly 30 countries, thanks to their unique operation and excellent quality.

Cralusso, choice of the winners



In 2015 has reached another World Cup victory with our products. The Club's Team World Championship, which held in Zilina, the Slovakian Team take possession of first place with Cralusso floats

Main milestones:

- 2002: Launch Cralusso
- 2003: World Championship – Torpedo
- 2005: European Championship – Torpedo
- 2006: Innovation Expo, GENIUS award
- 2007: U.S. Open – Golf and Bubble
- 2008: European Championship – Torpedo
- 2008: U.S. Open – Shark
- 2008: Hungarian National Championship – Shark
- 2009: Best Stand award
- 2010: Sponsorship at Poznan World Cup
- 2012: Title of Hungarian Talent Ambassador
- 2013: Expand the NAVIGATOR line
- 2014: Dutch men's team – the title of world champion
Hungarian team of disabled people – individual and team title of world champion
Hungarian team of veterans – world champion bronze medal

- 2015: Best Stand award
Slovakian Team won the Club Team World Championship with Torpedo floats
- 2018: Our company has won a research and development tender. We have established our development workshop equipped with state-of-the-art machines to provide a foundation for the innovations in the coming years.



József Pilán, Cralusso's test angler was awarded a world championship bronze medal at the age of 70.

Newness

Pro Carbon Wagglers
 10. page



Float with basket • 13. page



41. page



Vario feeder 2 in 1 basket
 47. page



Tackle box, Float set,
 Feeder set • 39. page



Koaji Round Brass
 31. page



Wolfram tuning lamellas
 21. page



Dominator X8
 Braid liner
 29. page



A new hydrodynamic form developed by Cralusso, the body does not lift out the water when held back. This float is for use on the pole and is ideal for use in medium or strong flow when you wish to present static or slow moving baits. It is so good and reliable that it has become the number one choice of flat float for anglers of all abilities including a few world champions!

Some quotations about the Torpedo:

- **Alan Scotthorne:** "The best flat float I've ever used"
Angling Times, May 10 2005.
- **Bob Nudd:** "It will add a new dimension to your polefishing"
Angling Times 31 May 2005

Sizes: 0.5 - 0.75 - 1.0 - 1.5 - 2.0 - 3.0 - 4.0 - 5.0 gr



Code: 1001


TORPEDO Tuning

An advanced version of the Torpedo float, which helped the Hungarian team to win gold in the 2003 World Championship. The Torpedo Tuning was also the success story of the 2005 European Championship - 80% of the contestants used our floats, including Will Raison, the individual champion.



As with the Torpedo, this float is for use on the pole and is ideal for use in medium or strong flow when you wish to present static or slow moving baits.

Sizes: 6 - 8 - 10 - 12 - 15 - 20 - 25 - 30 - 40 - 50 - 70 gr



With recommendation of Tibor Ambrus, world champion

3
Year
Guarantee



Bubble

Code: 1003

A river float designed for use on the pole but has found favour with many anglers on the running line. It is ideal for running through the swim at variable speed. The Bubble was introduced in 2005 Madunice European Championship.

The winner of U.S. Open in 2007 and 2008!

Variable antenna 1-5 gr 2 pcs
Variable antenna 6-20 gr 5 pcs
Waterproof polyurethane body
Floats can be changed without dismantling the rig

Sizes:

1 - 1,5 - 2 - 3 - 4 - 5 - 6 - 8 - 10 - 12 - 15 - 20 gr
30 - 40 - 50 gr



The next step of success!
József Papp won the 2008 U.S. open using
a Cralusso Bubble



SHARK

Functions of two floats in one 2 in 1

Code: 1004

1
Year
Guarantee

- 1 You should use the first antenna position when you are holding the float back hard or even lightly.
- 2 You should use the second antenna position when you want the float running through the swim


Sizes:

1 - 1,5 - 2 - 3 - 4 - 5 - 6
8 - 10 - 12 - 15 - 20 gr
25 - 30 - 40 - 50 gr

Shark, the brand new flat float was developed using many years of experience in float design and was in response to the demand from professional anglers. Used primarily for pole fishing the float can present baits in many ways. The antenna position can be changed according to your technique – whether this is holding back hard or running the float through the swim.

When the current is strong or you are holding back hard use the first bristle position. When the flow is slower or you want to run the float through the swim the second bristle position is recommended.

The streamline hump on top of the float – the sharks fin – aids stability and sensitivity – even the smallest of bites can be seen clearly.



The introduction of the Shark was at the Hungarian National Championship in 2008, where Tibor Ambrus, one of the leaders of the Tubertini-MarosMix-Cralusso group won the competition using this new float.

Choice of the Champions

Code: 1027

This hard-wearing polyurethane disc float developed by Cralusso can take the place of traditional balsa models, that can be damaged easily.



Sizes:
1 - 1,5 - 2 - 3 - 4 - 5 - 6 - 8 - 10 - 12 - 15 - 20 gr
25 - 30 - 40 - 50 gr

The favourite float of the world championship held in Croatia in 2014, helping the Dutch team to earn the title of world champion



In this competition, Alan Scotthorne – five times individual world champion of England – and many other teams have used the innovative Cralusso floats!

Surf

Code: 1002

A special river float for use with rod and reel set ups that can be held back hard without drifting in across the flow. The direction and speed can be changed easily offering perfect and accurate presentation. Ideal for medium and strongly currents although it can be used on still water for predator fishing when you wish to work a baitfish parallel to the bank.



Sizes:
3 - 4 - 6 - 8 - 10 - 12 - 15 - 20 gr

Bolo

Code: 1005

Sizes:
3 - 4 - 6 - 8 - 10 - 12
15 - 20 gr

A river float for use Bolognese rods and any running line set up. The design allows you to hold the float back without it drifting in across the flow. You can vary the speed of travel easily, but in sufficient flow and by holding back hard it is possible to lead the Bolo out from the bank toward features, cover or your feed line. You can effectively position the float before letting it run through the swim.



Revolutionary new waggler designs from Cralusso

ROCKET

Code: 1006



We developed the Rocket for long, accurate, straight casting. The Rocket has unique features that enable it to fly much better than traditional wagglers - even those with flights


- 1
- 2
- 3
- 4

Thanks to the versatile and adaptable antenna system, twenty Cralusso sight tips can be used with this float. Three tips are contained in each pack.

The critical element of the Rocket design is the special attachment system. This ensures the optimum position of the float and the terminal tackle it is 'towing' during flight - thus ensuring maximum distance and accuracy is achieved.

When you use this floats after casting you should hold back the float before it falls down into the water to eliminate the possibility of tangles.

By sliding the tube to calibrate the float you can minutely adjust the weighting.



The stem of the float is made from a material that is very strong and will remain straight without becoming twisted or curved.

The calibration system helps quick, simple and accurate adjustments. with 0,05 gr graduations being possible

The aerodynamics are improved with surface indentations (as on a golf ball) which reduces air resistance and increases stability.

1

2



3

PUR

Size gr	Changeable weight
6	2,0 gr
8	2,5 gr
10	3,0 gr
12	3,0 gr
14	3,0 gr
16	3,5 gr
18	3,5 gr
20	3,5 gr

Recommended float adaptors:
Anti tangle waggler attachment
Size: Small, Medium
Code: 2006

How to use this attachment?





Code: 1007

The Ufo and Dart floats utilize Cralusso's innovations, which give them their efficacy and popularity.

- 1
- 2
- 3
- 4

Adjusting the antenna and the sensitivity can be performed repeatedly using the calibration solution. They've become preferred by the anglers because of their versatile, simple usage and their durable design.

The concept is the same as that found in the UFO waggler but in addition to the other latest developments this version incorporates a flight.

- 1
- 2
- 3
- 4

The body is made of polyurethane, which is not sensitive to surface damage. The Dart is a very versatile float, which is a suitable for both pleasure and match anglers alike.



PUR

The aerodynamics are improved with surface indentations (as on a golf ball) which reduces air resistance and increases stability.

- Recommended float adaptors
- Waggler Attachment Light: 2005
- Brass Head Safety Snap: 2122
- Plastic head swivel with interlock snap: 2123

4



Code: 1014




This model – Rocket Light – has an extraordinary flying ability. While retaining incredible accuracy it is possible, because of the attachment system, to cast 20-30% longer distances than with traditional floats.

Size gr	Changeable weight
1,5	1,0 gr
2,0	1,0 gr
2,5	1,0 gr
3,0	1,0 gr
4,0	1,5 gr
5,0	1,5 gr
6,0	1,5 gr
8,0	1,5 gr

DART

Code: 1008



1

Thanks to the versatile and adaptable antenna system, twenty Cralusso sight tips can be used with this float. Three tips are contained in each pack.

The removable dart wings help the floats to the flight.

2

The stem of the float is made from a material that is very strong and will remain straight without becoming twisted or curved.

3

The calibration system helps quick, simple and accurate adjustments. with 0,05 gr graduations being possible

Size gr	Changeable weight
6	2,5 gr
8	3,0 gr
10	3,0 gr
12	3,0 gr
14	3,5 gr
16	3,5 gr
18	4,5 gr
20	5,5 gr

To achieve a more precise setting and presentation we have built in the Cralusso calibration system into the 4 - 5 - 6 and 8g Rocket Light floats



The tube is made of a special plastic, is made for hard work and a long life and does not bend or warp. The float is ideal for many methods but particularly good in shallow and/or clear waters.

The aim of continuous innovation to create the best waggler float!

ARROW waggler

Code: 1040

Incorporates a removable brass disc weight system and, of course, all the usual Cralusso innovative features

- 1 2 3 4

The ARROW waggler ensures an aerodynamic flight, high levels of sensitivity and offers a multifunctional, easy to use float. The longer stem offers the following advantages:

- Generates extraordinary stability and distance in flight
- The body and main weight of the float sits deep in the water and it is therefore less influenced by wind and surface skim
- The long float aids the important task of getting your line deep in the water

Transportation of the long float is not difficult as the stem and body can be separated. This allows the carrying of made up rods where required with no risk of float damage.

Size gr	Changeable weight
8	3,0 gr
10	4,0 gr
12	5,0 gr
14	6,0 gr
16	7,0 gr
18	8,5 gr

PUR

Black Eagle

Code: 1080

Size gr	Changeable weight
8	4,0 gr
10	5,0 gr
12	6,0 gr
14	7,0 gr
16	8,0 gr

NEW

proCarbon

Waggler

Code: 1084

Professional waggler float, offering unique solutions for competitive and hobby angling as well. The float has a tapered carbon stem, a polyurethane body and tungsten discs.

A rotary part with a bearing is built into the lead head, which brakes, bends when it falls. The calibration solution developed by Cralusso allows for the quickest and most sensitive antenna setting to adjust with as little as 0.01 gramm.

1 year warranty!

Size gr	Changeable weight
8	1 gr
10	2 gr
12	3 gr
14	4 gr
16	5 gr

PUR

Strengthened pillow swivel built-in the lead head



The new combination of lead and tungsten weight discs has a high specific gravity and is therefore only half the volume of brass.

WolframMatch

Code: 1085

We have been ecstatic over the success of the Arrow waggler but we never rest and have achieved even further improvement for this year. In addition to the already successful developments

1 2 3 4

we are now using a weight system that is twice as heavy as brass.

This lead/tungsten combination disc system together with the new aerodynamically refined body has created an even better flight, operation and precision in use.

The antenna system consists of over 20 versions with varying diameters, lengths and colours available. New to this range are the 'air antenna' - a clever highly visible tube and a very sensitive solid option.

Size gr	Changeable weight
8	2,5 gr
10	4,5 gr
12	6,5 gr
14	8,5 gr
16	10,5 gr
18	8,0 gr
20	10,0 gr

Tip: With the help of the unique calibration system you can speed up the float setting process and also achieve very precise setting of the antenna.

Strengthened pillow swivel built-in the lead head



New antenna with helium



Professional waggler float with calibration system, new body shape, made using tungsten & helium!

Code: 1086

Our newest innovation, the HELIO waggler float incorporates the best of our knowledge. We used materials with the most optimal density, this means that the lead head, the tungsten discs and the helium-filled float body and shank provided the possibility to build an ideal float, which

- has the best flying capabilities;
- can be set to the highest sensitivity
- can be weighted in the shortest time
- has a stem that does not bend even on higher temperatures
- resists damage
- can hold over 30 types of antennas

Size gr	Changeable weight
8	2,5 gr
10	4,5 gr
12	6,5 gr
14	8,5 gr
16	10,5 gr
18	8,5 gr
20	10,5 gr
25	10,0 gr
30	15,0 gr

Attention! The body and stem of the floats are filled with helium, the calibration stem shouldn't be extended further than the red mark!

PUR

New antenna, with helium

Lead - tungsten combined weight system

The new combination of lead and tungsten weight discs has a high specific gravity and is therefore only half the volume of brass.

Code: 1087

Heeding the requests of the anglers, we added to our offer this easy to use, easy to throw Slider float, which satisfies the highest demands of the hobby and sport anglers. The 3.0 gr net weight of the special slider head and the design of the PUR body give excellent flying capabilities to the float. It is mainly recommended for deep water and lakes with strong currents, when the bait needs to be sunken to the vicinity of the lakebed quickly and in a stable way.

- Simple, precise usage
- Fastest antenna and sensitivity adjustment with the help of the calibration system.
- Versatile variability for weighting
- Replaceable solid and air-filled antennas

Sizes
3 + 8,0 gr
3 + 10,0 gr
3 + 12,0 gr
3 + 14,0 gr
3 + 16,0 gr
3 + 18,0 gr

Tip: The new waggler stem set (Item: 2034), increase the capacity and variability of the float. The different length of stems (250-330), can be accelerate the balance, furthermore increase the distance of flight.

Sizes: 8-10-12-14-16-18 gr

Sensitive

Code: 1010

BREAM FLOAT



Code: 1082



Sizes: 5 - 7 - 9 - 11 gr




Variable antenna 2 pcs

Type	Distance of Casting	Changeable weight
Velence 5-11 gr	35-60 m	1,0-2,5 gr
Rocket 6-20 gr	40-85 m	2,0-3,5 gr
Rocket light 1,5-8 gr	20-60 m	+ 1,0 gr
Dart 6-20 gr	35-65 m	2,5-5,5 gr
Sensitive 5-11 gr	35-55 m	1,5-3,0 gr
Ufo 6-20 gr	30-50 m	2,5-5,5 gr

The advantage of these floats is the excellent sensitivity! The Velence and the Sensitive incorporate all of Cralusso's new technical solutions



Size gr	Changeable weight
6	1,5 gr
8	2,5 gr
10	3,0 gr
12	4,0 gr
14	5,0 gr
16	6,0 gr



Strengthened pillow swivel built-in the lead head



Pellet

Code: 1011

This near indestructible float has been made for the ever more popular method of pellet waggler fishing. Being short it can be used successfully when fishing shallow and presenting baits deeper is no problem. You can fish precisely with different sizes and weights of pellet by making adjustments to the capacity of the float using the calibration system.

PUR




Sizes:
S - M - L

Float with basket

Code: 1013-M


NEW



Unweighted slider floats

Code: 1029

Code: 1030




Sizes:
3-4-5-6-8 gr

Sizes:
3-4-5 gr

Rocket Pellet

Code: 1012 This float incorporates all the advantages of the pellet float but also utilises the rocket system. Normal pellet wagglers are hampered in flight because the float is trying to tow a big bait. Aerodynamics, distance and accuracy are therefore adversely affected. The Rocket Pellet overcomes all these problems and is the perfect solution – even with heavy reel lines it can cast long distances and is very accurate.

PUR



Sizes:
S - M - L

CONTROL MATCH

Code: 1023

Cralusso's newest development is a perfect solution for the problems of many anglers. We have used the very popular calibration system from our bodied wagglers and have also managed to incorporate this system into our revolutionary new straight wagglers. The slim body creates a very sensitive float and the calibration system makes very fast and accurate adjustment possible.



CONTROL MATCH with dart

Code: 1024

The construction of this float is the same as the "Control Match", but we incorporated dart flights into the stem to allow even better flight. The antenna are inter-changeable.

Sizes:


You can adjust the 3-4-5 gr float's loading capacity between 0 and +1,2 gr.
 You can adjust the 6-7-8-10 gr float's loading capacity between 0 and +1,5 gr



PRO MATCH

Code: 1025

"Pro Match" floats contain all the useful developments that make the 'Control' version unique. As we have used brass removable heads, it is possible for finer adjustments to be made and for the carrying capacity to be increased still further. It is possible to make very quick, accurate and repeated adjustments by pushing in, or pulling out, the upper, thinner stem from the body of the float.



By sliding the tube to calibrate the float you can minutely adjust the weighting.

PRO MATCH with dart

Code: 1026



The adjustable capacity of the 4 gr float is: between 0 and +2,5 gr
 The 5 gr and 6 gr float is: between 0 and +3,0 gr
 The 7 gr and 8 gr float is: between 0 and +3,5 gr



New Carp floats


Unweighted carp floats
with PUR body

Carp floats
with fix weight

Code: 1090

Code: 1095

Heavy-duty fishing floats with pur body, developed to carp fishing





Reliable floats- even in extreme conditions



Code: 1021

Float with built in weight

Unweighted floats

Code: 1022





Winner of US Open Championships in 2007



When we were creating the traditional type of tear drop floats it was our intention, as is always the company policy, to place the emphasis on making each model easy to use, infinitely variable and long lasting. The design allows all of the components, including the bristles, to be freely interchanged thus allowing numerous combinations to be achieved. The floats are available with carbon stems or a near transparent fibre glass stem that is less visible in water.

Golf

Code: 1015
(fibr glass)
Code: 1018
(carbon)

Spirit


Code: 1016
(fibr glass)
Code: 1019
(carbon)

CAPRI

Code: 1017
(fibr glass)
Code: 1020
(carbon)

Sting

Code: 1051
(carbon, fixed antenna)



The special dimpled surface of this Golf float, which reduces water tension affects, makes it an ideal choice for use on rivers, moving canals and choppy lakes.

Sizes: 1 - 1.5 - 2 - 3 - 4
5 - 6 - 8 - 10 - 12

Universal shape which is ideal for both rivers and still waters. The protective plastic tube through the float is very hard wearing and makes the float virtually indestructible highly recommended when fishing for carp on the pole.

Sizes: 0,5 - 0,75 - 1
1.5 - 2 - 3 - 4 - 5 - 6

This body shape allows for more sensitive presentation even more so if you use the 1 mm carbon or glass stem as the bristle. Also incredibly strong, however, and will handle big fish well.

Sizes: 0,2 - 0,3 - 0,5 - 0,75 - 1
1.5 - 2 - 3 - 4 - 5 - 6

Our new pole float has a 3D and extremely streamlined shape resulting in exceptional sensitivity and stability.

A hollow, and therefore buoyant, bristle is incorporated in this multifunctional float.


It was decided not to use a side eye as these create an inherently weak point but instead of this to utilise a neat silicone sleeve at the base of the antennae.

The body is polyurethane, virtually indestructible and will not absorb water even if you do manage to damage it!

Sizes: 0,5-0,75-1,25-1,5 gr

They are well constructed and very strong. Bristles are interchangeable so you can make rigs that perform well for delicate presentation or dealing with big weights of fish.

They can be set up with the line through the body or externally



Recommended float adaptors: 2007

Components of the tear drop floats are all interchangeable and they can be assembled in a number of ways to suit your own requirements only your imagination could limit the number of variations.



Balsa floats

1031

1032

1033

1034

1035

1036

1038




Code	Weight gr	Antenna	Stem	Body mat.	Pcs/bag
1031	1-1,5-2-3	plastic	metal	balsa	5
1032	0,5-0,75-1-1,5-2-2,5-3	bamboo	metal	balsa	5
1033	0,5-1-1,5-2-3	plastic	metal	balsa	5
1034	0,25-0,5-1-1,5-2	fibre glass	metal	balsa	5
1035	0,25-0,5-1-1,5-2-2,5-3-4-5	fibre glass	fibre glass	balsa	5
1036	0,25-0,5-0,75-1-1,5-1,75-2-2,5-3	fibre glass	fibre glass	balsa	5
1038	1-1,25-1,5-1,75-2-3	fibre glass	fibre glass	balsa	5

Carp Series



Code	Weight gr	Antenna	Stem	Body mat.	Pcs/bag
1070	0,3-0,5-0,75-1-1,5	variable	carbon	pur	5
1072	0,3-0,5-0,8-1,0	fix	carbon	balsa	5
1073	0,2-0,4-0,6-0,8-1,0	fix	carbon	balsa	5

Float with balsa



Code	Weight gr	Antenna	Stem	Body mat.	Pcs/bag
1041	1-1,5-2-3-4-5-6	plastic	fibre glass	balsa	5
1042	0,5-0,75-1-2-3-4-5	plastic	fibre glass	balsa	5
1043	0,5-0,75-1-1,5-2-2,5-3	plastic	fibre glass	balsa	5
1044	0,5-0,75-1-1,5-2-3	fibre glass	fibre glass	balsa	5
1045	0,4-0,5-0,75-0,8-1-1,25-1,5-2-2,5-3	hollow	carbon	balsa	5
1046	0,4-0,6-0,8-1-1,5-2	hollow	carbon	balsa	5
1047	0,6-0,8-1-1,25-1,5-2	fibre glass	carbon	balsa	5
1048	0,4-0,6-0,8-1-1,25	fibre glass	carbon	balsa	5

Float with balsa antenna



Code	Weight gr	Antenna	Stem	Body mat.	Pcs/bag
1060	1-2-3-4-5-6-8	balsa	fibre glass	balsa	5
1061	0,2-0,4-0,6-0,8-1-1,5-2-3-4-5-6-8	balsa	fibre glass	balsa	5
1062	0,6-1-1,25-1,5-2	balsa	steel	balsa	5
1063	0,5-0,75-1-1,5-2-3	balsa	fibre glass	balsa	5
1064	1-2-3	balsa	fixed in one point	balsa	5
1065	0,6-1-1,25-1,5	balsa	fixed in one point	balsa	5



Balsa float with changeable star light antenna

BALSA




Code	Weight gr	Antenna	Stem	Body mat.	Pcs/bag
1201	1-2-3-4-5-6-8-10	plastic	fibre glass	balsa	5
1202	1-1,5-2-3-4-5-6-8-10	plastic	fibre glass	balsa	5
1203	1-1,5-2-2,5-3-4-5	plastic	fibre glass	balsa	5
1204	1-2-3-4-5	plastic	fibre glass	balsa	5
1205	2-3-4-5-6-8-10	plastic	fibre glass	balsa	5
1206	1-1,5-2-2,5-3-4-5-6-8-10	plastic	fibre glass	balsa	5
1207	1-2-3-4-5-6	plastic	fibre glass	balsa	5
1208	2-3-4-5-6-8	plastic	fibre glass	balsa	5


Diving floats



1310
1 pc/bag



Starlight holding predator floats



BALSA

1301
Sizes:
15-25-30-40 gr

1302
Sizes:
10-15-20-25-30-40 gr


Packing of above mentioned (1201-1208 és 1301-1302) model: 5 pcs/bag

Attachments

2000
Helium-filled antenna set
(6 pcs/bag)



2001
Mixed antenna set
(10 pcs/bag)




It can be used for both Cralusso Wagglers and polyurethane tear drop floats.

2002
Dart antenna set
(3 pcs/bag)



High visibility hollow antenna that aids float flight. 0,6 gr sensitivity

2003
Hollow antenna set
(6 pcs/bag)
Sensitive, highly visible hollow antenna with 0,3 gr sensitivity



2011
Universal star light holder
4,5 mm-es
(3 pcs/bag)



2034
(5 pcs/bag)



2004
Waggler float stem range
(3 pcs/bag)



2010
DIY floats
(8 pcs/bag)



2013
Carbon and glass stem
8 pcs 0,8 and 1,0 mm



2018
Dart wings (9 pcs/bag)

NEW



2019
Flat antennas (9 pcs/bag)

NEW



2021
Wolfram tuning lamellas (3x11mm 7pcs/bag)

NEW



2022
Wolfram tuning lamellas (3x13mm 7pcs/bag)

NEW




Waggler attachment Light (Fixed)

Code: 2005

A sure and safe float fixing that allows quick changes. Tangles and knots are reduced because of the built in big load bearing swivel. The attachment is very light as carbon is used in the manufacture.

We offer the small Waggler attachment for 8-10 gr floats, and the medium attachment for floats above 10 gr.


Size	Code	Weight	Pcs/bag
Small	2005	0,22 gr	3 pcs
Medium	2005	0,35 gr	3 pcs



Anti tangle waggler attachment (Fixed)

Code: 2006

Cralusso's own development! The success of the anti-tangle waggler attachment lies in the asymmetric design which allows the device to keep the line away from the float and so greatly reduce the possibility of tangles and knots.



The short stem faces toward the rod.

The long stem faces toward the hook

How to use this attachment?

Size	Code	Weight	Pcs/bag
Small	2006	0,30 gr	3 pcs
Medium	2006	0,45 gr	3 pcs

Metal waggler snap

Code: 2035

Float fixer with ball bearing swivel, withstands the highest loads

Weight	Pcs/bag
0,30 gr	2 db





Hook tyer system

2033



Needle disgorger

2037



Baiting needle set

2039

Adjustable float-holding roll

2032 S

2032 M

AGAIN




Adjustable roll-length

S - 8-25 cm 76 pcs
L - 20-50 cm 76 pcs

Colour antenna label

2050



Line marker

2054



2055



2056



2057



Line's sinking spray

2058






Silicon tubes 2009




Silicon tubes mixed 2009-mix

Olive rubber stopper 2008



Size	Pcs/bag
XS	9 pcs
S	9 pcs
M	9 pcs
L	9 pcs
XL	9 pcs
XXL	9 pcs
mix	3×9 pcs

Cylindrical rubber stopper 2016



Size	Pcs/bag
S	9 pcs
M	9 pcs
L	9 pcs

Float adaptors For tear drop floats 2007



Size	Weight	Pcs/bag
0,5 mm	0,1 gr	4 pcs
0,7 mm	0,1 gr	4 pcs
0,9 mm	0,1 gr	4 pcs



Float fixing set 2014-mix



Pellet ring 2015
Sizes: S-M-L




Anti-tangle soft tube 2017
0,5×1,8 - 0,8×1,9 - 1,0×2,1 mm



Bait holder 2025
Sizes: S-L



Flare rubber thorn 2012-mix



Pellet stopper kit 2026 Hard



Metal bait spike 7-10 mm 2028
S 7 mm
M 10 mm



Plastic bait spike 2029
S 5-7 mm
M 10-13 mm



Boilie stopper 2027



Silicon fastened bait sting 2030
S 7mm - M 10mm



Fixing plastic bait spike added silicone!

Cralusso lines = Cralusso quality!

“PRESTIGE” fishing line – as the name implies, this range will satisfy the highest demands of the modern angler. We believe different disciplines of fishing require a line specifically designed for the purpose and that each must possess the correct properties for its intended use. As such, we have developed and tested the lines over a period of some years and are certain we are now offering a selection of the very best available at a truly competitive price.

Great attention to detail has been paid to ensure this line has the optimal relationship between strength and suppleness. It is reliable, strong and resistant to twist and tangles.

Length (m)	Diameter (mm)	Breaking Strain (kg)
50	0,088	1,18
50	0,102	1,57
50	0,123	2,34
50	0,143	3,07
50	0,160	3,84
50	0,178	4,61
50	0,201	5,71
50	0,220	6,65
50	0,250	8,30

Hooklength Line **Soft & Strong**

2061



feeder hooklength line

2085



New generation hooklength line, which developed for the feeder fishing, this line has more stiff and stretch.

Length (m)	Diameter (mm)	Breaking Strain (kg)
50	0,14	2,94
50	0,16	3,65
50	0,18	4,00
50	0,20	5,41
50	0,22	6,22

Brutal

2069



As its name suggests this is a hooklength line with unique strength, what is nearly invisible in the water. Made by the most modern technologies and materials. It is extremely resistant to twist and tangles.

Length (m)	Diameter (mm)	Breaking Strain (kg)
50	0,081	1,04
50	0,102	1,65
50	0,125	2,42
50	0,145	3,18
50	0,163	3,98
50	0,183	4,77
50	0,202	5,93

XTREME braid hooklength line

2080



This braid hooklength made of the latest technology, weaving with 8 carriers, which ensure the cyclic cross-section. Due to this technology and PE fiber are ensure the precize and maximum tensile for the lines.

Length (m)	Diameter (mm)	Breaking Strain (kg)
15	0,08	3,8
15	0,10	5,1
15	0,12	6,3
15	0,14	7,6
15	0,16	9,5

KEVLINE braid hooklength line

2081



This special angling line is made from 50% Kevlar and 50% PE fibre. Sinking design, which resists damage remarkably well, and allows use under extreme conditions.

Length (m)	Breaking Strain (kg)	Breaking Strain (lb)
10	6,8	15
10	9,1	20
10	11,3	25

Feeder & Carp braid hooklength line

2082



This sinking braided line concentrically woven from 8 fibres has been developed to suit the needs of Feeder and Carp anglers. Thanks to its soft and strong design it can be a reliable and favoured equipment for anglers.

Length (m)	Breaking Strain (kg)	Breaking Strain (lb)
10	4,5	10
10	6,8	15
10	9,1	20

FAST SINKING braid hooklength line

2083



We focused entirely on making this angling line sink fast, nestle to the watercourse, to be undetectable by the fish and stay at the bottom.

Length (m)	Breaking Strain (kg)	Breaking Strain (lb)
10	5,4	12
10	8,1	18
10	11,3	25

Cralusso lines = Cralusso quality!



GENERAL Match

2060



A very reliable line with high tensile strength Excellent UV and abrasion resistance with silky smooth surface Specially recommended for general use and rig making

Length (m)	Diameter (mm)	Breaking Strain (kg)
150	0,12	2,24
150	0,14	2,75
150	0,16	3,46
150	0,18	4,14
150	0,20	5,12
150	0,22	6,54
150	0,25	8,19
150	0,30	11,22
150	0,35	15,49



Match Sinking

2062



This new generation sinking line has been developed specifically for waggler fishing. It possesses qualities of high abrasion resistance and extremely low surface friction which enables easy casting and creates fast sink rates


Length (m)	Diameter (mm)	Breaking Strain (kg)
150	0,14	2,21
150	0,16	2,77
150	0,18	3,31
150	0,20	4,10
150	0,23	5,23
500	0,16	2,77
500	0,18	3,31
500	0,20	4,10
500	0,23	5,23



Unique and individual innovation made by Cralusso is the **QSP system**, which one helps to reach the optimum line filling. With this solution can avoid the multi-winding and for the reel be over or underfilled. For the **QSP system** labeled lines you can find measuring plates attached which ones support the precise loading of the reel. The QSP downloadable as an application from Google Play and App Store.

1

Please, measure the diameter and height of the spool!



2

Please apply the measurements into the calculator that you will find on our webpage!




3

Select the appropriate value from the indicator and wind the stated amount onto the spool!



4

When you have wound the indicated amount of line onto the reel, it should be at the optimal level!



Cralusso lines = Cralusso quality!

QSP
SYSTEM

FEEDER
Energy

2063



This line is recommended for feeder fishing. It is very resilient and has a medium sink rate. The super low friction surface ensures fast movement through the water and positive contact with the fish

Length (m)	Diameter (mm)	Breaking Strain (kg)
150	0,18	4,4
150	0,20	5,5
150	0,22	6,9
150	0,25	8,6
150	0,30	11,8

CARP
Power

2064



A line designed to suit the high demands of Carp anglers. It has qualities of high abrasion resistance and very low surface friction that assists with long range casting and minimises damage. It also ensures fast movement through the water and positive contact with the fish

Length (m)	Diameter (mm)	Test (Kg)	Fish test (Kg)
300	0,22	4,0	7,3
300	0,25	5,1	9,5
300	0,28	6,4	11,5
300	0,30	7,2	13,0
300	0,35	10,1	16,0
1000	0,22	4,0	7,3
1000	0,25	5,1	9,5
1000	0,28	6,4	11,5
1000	0,30	7,2	13,0
1000	0,35	10,1	16,0



Caught carp with 0,14 BRUTAL hooklength line.
Trust him, you'll like it!

Cralusso lines = Cralusso quality!

FLUO LINE

QSP SYSTEM

2065

2066



150 m 350 m

A reliable fishing line with high tensile strength. UV and abrasion resistant. The extraordinary smooth surface ensures effortless long range casting.

Length (m)	Diameter (mm)	Breaking Strain (kg)
150	0,18	4,4
150	0,20	5,5
150	0,22	6,9
150	0,25	8,6
150	0,30	11,8

Length (m)	Diameter (mm)	Breaking Strain (kg)
350	0,18	4,4
350	0,20	5,5
350	0,22	6,9
350	0,25	8,6
350	0,30	11,8

FEEDER & CARP

2095

2096

150 m

300 m



This low-stretch line specially developed for feeder and carp fishing. The fluoro carbon coating guarantee longer casting distance and faster sinking.

Length (m)	Diameter(mm)	Test (Kg)	Fish test (Kg)
150	0,18	2,8	5,1
150	0,20	3,4	6,5
150	0,22	4,0	7,3
150	0,25	5,1	9,5
150	0,30	7,2	13,0

300	0,18	2,8	5,1
300	0,20	3,4	6,5
300	0,22	4,0	7,3
300	0,25	5,1	9,5
300	0,30	7,2	13,0

Infinity

2071



This line is recommended for feeder and carp fishing. It has a medium sink rate, high abrasion resistance and very low surface friction that assists with long range casting and minimal damage.

Length (m)	Diameter (mm)	Breaking Strain (kg)
500	0,20	5,1
500	0,22	6,5
500	0,25	8,2
500	0,30	11,2

Cralusso lines = Cralusso quality!

NEW

DOMINATOR X8

2067



Fine-woven, quiet, moderately soft-braided fishing line with high tensile strength, wear-resistant surface and zero elongation. Thanks to its thin, special coating, it slides quietly and easily between the rings. Thus, it allows longer casts for spinning anglers even with lighter baits.

Length (m)	Diameter (mm)	Breaking Strain (kg)
100	0,10	5,8
100	0,12	6,9
100	0,15	8,7
100	0,18	11,4
100	0,20	14,2

Fluoro Carbon Line

2090



Fluoro carbon is being nearly invisible in water and this 100% fluoro carbon exceeds all expectations. It has a low stretch and fast sinking rate.

Length (m)	Diameter (mm)	Breaking Strain (kg)
30+10	0,14	1,92
30+10	0,16	2,52
30+10	0,18	3,09
30+10	0,20	3,90
30+10	0,22	5,06
30+10	0,25	6,12
30+10	0,30	7,55
30+10	0,40	14,55
30+10	0,50	20,24



Cralusso latest development, NAVIGATOR line family

NAVIGATOR



Match Sinking
(150m) with QSP

2076



The Navigator Match Sinking line is a world first from Cralusso. Judging distance on water is very difficult for everyone. This new generation of line provides a solution for this problem. Every 5m you will find a mark, so you can determine the distance from the color-code (every color indicates different distance) and this will assist you to fish accurately at the same distance each cast. It possesses qualities of high abrasion resistance and low surface friction, which enables effortless casting and creates fast sink rates. You will find the illustration at the bottom of the page and further information on our website.

Cralusso's unique development of the QSP system is utilised on this line and allows spooling up to be completed quickly, accurately and precisely. The QSP system helps to ensure the optimum amount of line is put onto the spool. You can find further information on page 30 and on the relevant webpage.

QSP QR CODE



Length (m)	Diameter (mm)	Breaking Strain (kg)
150	0,16	2,70
150	0,18	3,30
150	0,20	4,10
150	0,23	5,20

Első 20 m jelöletlen, majd 20 25 30 35 40 45 50 55 60 65 70 m
Navigator Match 150 m

NAVIGATOR



Feeder Energy
(200m) with QSP

2077



The Navigator Feeder fishing line provides great opportunities for both carp and feeder anglers.

Short and long range distances, features and clipping up points are easily identified and there is no problem if you use two or more rods. The line is marked every 5m and this will assist you to fish accurately at the same distance. Please look at the diagram and further information can be found on our webpage.

This line was developed in accordance with the requirements of high profile carp and feeder anglers - it is extremely strong, has a medium sink rate, possesses high tensile strength with low stretch and is an easily managed.

THE SOLUTION: The QSP system which is only provided by Cralusso! It will help to avoid the need for multiple attempts at filling spools accurately. You will find the description on page 30 and further information on our webpage.

QSP QR CODE



Length (m)	Diameter (mm)	Breaking Strain (kg)
200	0,18	4,40
200	0,20	5,51
200	0,22	6,90
200	0,25	8,60

Első 20 m jelöletlen 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100 105 m
Navigator Feeder 200 m

CARPower feederGUM

2098



Recommend to the following line thicknesses:

Length (m)	Diameter(mm)	Monofil	Braided (mm)
10	0,65	0,12-0,18	0,06-0,10
10	0,80	0,18-0,25	0,10-0,16
10	1,00	0,25-0,35	0,16-0,22

Hooks

Sode Light 2401

Flatted – Forged – Round
Slim stemmed easy hook



Size	18	16	14	12	10	8	6	4	2
<i>Hooklength</i> <i>Line</i> <small>Soft & Strong</small>	0,10-0,11	0,11-0,12	0,12	0,13	0,14	0,14	0,16	0,18	0,20
Weight (gr)	0,004	0,005	0,008	0,012	0,017	0,023	0,05	0,09	0,12
Diameter (mm)	0,27	0,28	0,33	0,37	0,41	0,49	0,57	0,72	0,76
Pcs/bag	14	14	16	16	16	16	14	14	14



Chika 2405

Flatted – Round



Size	18	16	15	14	12	10	8
<i>Hooklength</i> <i>Line</i> <small>Soft & Strong</small>	0,10	0,10-0,11	0,12	0,12	0,12-0,13	0,13-0,14	0,14
Weight (gr)	0,005	0,008	0,011	0,014	0,018	0,024	0,029
Diameter (mm)	0,28	0,33	0,36	0,39	0,43	0,46	0,48
Pcs/bag	16	16	16	16	14	14	14



Koaji Round 2410

Koaji Round Brass 2411 new color

Flatted – Round



Size	16	14	12	10	8
<i>Hooklength</i> <i>Line</i> <small>Soft & Strong</small>	0,10-0,11	0,12	0,14	0,14-0,15	0,16
Weight (gr)	0,009	0,016	0,023	0,036	0,049
Diameter (mm)	0,33	0,41	0,46	0,54	0,60
Pcs/bag	16	16	14	14	14



Shin Aji 2415

Flatted – Large Forged



Size	11	9	7	5
<i>Hooklength</i> <i>Line</i> <small>Soft & Strong</small>	0,18	0,20	0,25	0,30
X TREME	0,10	0,12	0,16	0,18
Weight (gr)	0,045	0,066	0,094	0,14
Diameter (mm)	0,57	0,64	0,72	0,81
Pcs/bag	11	10	9	8





Hooks

Umi Tango

2420

Flatted – Forged



Size	16	14	12	10	8	6
<i>Hooklength</i> <i>Line</i> <small>Soft & Strong</small>	0,12	0,12-0,14	0,14-0,16	0,16	0,18	0,18-0,20
X TREME				0,08	0,10	0,10-0,12
Weight (gr)	0,014	0,024	0,034	0,051	0,083	0,103
Diameter (mm)	0,39	0,46	0,51	0,57	0,68	0,72
Pcs/bag	12	12	12	12	11	10

SB Chinu

2430

Double (one normal and one micro) edge point
– Flatted – Forged and Curved




Size	10	8	6	4	2
<i>Hooklength</i> <i>Line</i> <small>Soft & Strong</small>	0,20	0,22	0,25	0,30	0,32-0,35
X TREME	0,12-0,14	0,14	0,16	0,18	
Weight (gr)	0,049	0,061	0,077	0,134	0,2
Diameter (mm)	0,6	0,68	0,72	0,86	0,99
Pcs/bag	10	10	9	9	7

Delta Chinu

2435

Triple edge point – Trust Grip – Forged and Curved



Size	10	8	6	4	2
<i>Hooklength</i> <i>Line</i> <small>Soft & Strong</small>	0,18	0,20	0,22-0,25	0,25-0,30	0,30-0,35
X TREME	0,10	0,12-0,14	0,14-0,16	0,16-0,18	
Weight (gr)	0,048	0,070	0,084	0,137	0,198
Diameter (mm)	0,6	0,68	0,72	0,86	0,99
Pcs/bag	8	8	8	7	6

Chinu W/Ring

2440

With PTFE coat



Size	10	8	6	4	2
<i>Hooklength</i> <i>Line</i> <small>Soft & Strong</small>	0,18	0,20	0,22-0,25	0,25-0,30	0,30-0,35
X TREME	0,10	0,12-0,14	0,14-0,16	0,16-0,18	0,18
Weight (gr)	0,063	0,082	0,10	0,15	0,23
Diameter (mm)	0,6	0,68	0,72	0,86	0,99
Pcs/bag	14	14	13	12	10

Hooks



The biggest fish at the 2014 world championship held in Croatia, a 4,6kg barbel was caught on the fast-flowing Drava by Arjan Klop, member of the world champion Dutch team using our 2445 Chinu hook. This hook has also proven its worth many times! Made of forged Japanese steel, extremely sharp, despite its medium thick stem it is remarkably strong. A reliable companion during tiring.

Chinu 2445

Brass




Size	12	11	10	8	6
<i>Hooklength</i> <i>Line</i> <small>Soft & Strong</small>	0,18	0,20	0,22-0,25	0,25-0,30	0,30-0,35
X TREME	0,10	0,12-0,14	0,14-0,16	0,16-0,18	0,18
Weight (gr)	0,031	0,039	0,048	0,066	0,079
Diameter (mm)	0,6	0,68	0,72	0,86	0,99
Pcs/bag	14	14	14	14	14



Maruseigo horog 2450

With PTFE coat



Size	14	12	10	8	6	4	2
<i>Hooklength</i> <i>Line</i> <small>Soft & Strong</small>	0,20	0,22	0,28	0,35	0,40	0,40	0,45
X TREME	0,12-0,14	0,14	0,16-0,18				
Weight (gr)	0,031	0,048	0,071	0,104	0,156	0,236	0,367
Diameter (mm)	0,6	0,68	0,72	0,86	0,99	1,06	1,13
Pcs/bag	12	11	11	10	9	8	7



Gripper Carp 2455

With PTFE coat

Size	8	6	4
Recommended max. line strength	18 lb	20 lb	22 lb
Weight (gr)	0,18	0,24	0,29
Diameter (mm)	0,94	0,98	1,10
Pcs/bag	8	8	8





Hooks

Boilie Carp

2460

With PTFE coat

Size	8	6	4
Recommended max. line strength	17 lb	24 lb	30 lb
Weight (gr)	0,092	0,145	0,224
Diameter (mm)	0,78	0,89	1,03
Pcs/bag	8	8	8



Anti Snag

2465

With PTFE coat

Size	8	6	4	2
Recommended max. line strength	18 lb	23 lb	34 lb	37 lb
Weight (gr)	0,17	0,22	0,37	0,40
Diameter (mm)	0,98	1,03	1,22	1,26
Pcs/bag	8	8	8	8



CARPower

2470

With PTFE coat



Size	14	12	10	8	6	4	2
Recommended max. Monofil line	0,20	0,22	0,25	0,28	0,32	0,35	0,38
Recommended max. braided line	0,12	0,14	0,16	0,18	0,20	0,20	0,22
Weight (gr)	0,028	0,03	0,043	0,054	0,092	0,131	0,23
Diameter (mm)	0,48	0,52	0,62	0,75	0,85	0,951	1,06
Pcs/bag	12	12	12	12	12	12	10



CARpmagnet Barbless

2472



Size	12	10	8	6	4
<i>Hooklength</i> <i>Line</i> <small>Soft & Strong</small>	0,22	0,25	0,28	0,30	0,35
XTREME	0,14	0,16	0,18	0,2	0,22
Weight (gr)	0,049	0,075	0,093	0,107	0,167
Diameter (mm)	0,64	0,72	0,76	0,81	0,92
Pcs/bag	12	12	12	12	12



Zander-worm

2480

Size	2	1	1/0	2/0
Weight (gr)	0,219	0,272	0,338	0,439
Diameter (mm)	0,86	0,92	0,99	1,07
Pcs/bag	8	8	8	8



Quality swivels and accessories at a reasonable price!

Rolling swivel, black

2109




Size	Test	Weight	Pcs/bag
3/0	100 kg	1,82 gr	3 pcs
2/0	75 kg	1,28 gr	4 pcs
1/0	60 kg	0,90 gr	5 pcs
2	43 kg	0,53 gr	6 pcs
4	35 kg	0,33 gr	8 pcs
6	30 kg	0,19 gr	12 pcs
8	19 kg	0,12 gr	12 pcs
10	14 kg	0,07 gr	12 pcs
12	9 kg	0,06 gr	12 pcs

Golden swivel

2110


Exclusive design



Size	Test	Weight	Pcs/bag
3	40 kg	0,41 gr	10 pcs
5	32 kg	0,25 gr	12 pcs
7	22 kg	0,13 gr	12 pcs
10	14 kg	0,07 gr	12 pcs
14	4 kg	0,04 gr	12 pcs

Rhombus swivel

2111



Size	Test	Weight	Pcs/bag
5	27 kg	0,25 gr	12 pcs
7	19 kg	0,13 gr	12 pcs
10	9 kg	0,07 gr	12 pcs
12	6 kg	0,06 gr	12 pcs
14	4 kg	0,04 gr	12 pcs

Double swivel


2112



Size	Test	Weight	Pcs/bag
5	32 kg	0,44 gr	12 pcs
7	22 kg	0,25 gr	12 pcs
10	14 kg	0,13 gr	12 pcs
12	8 kg	0,09 gr	12 pcs
14	4 kg	0,06 gr	12 pcs

Triple speed swivel

2113



Size	Test	Weight	Pcs/bag
7	22 kg	0,23 gr	12 pcs
10	14 kg	0,112 gr	12 pcs
12	8 kg	0,10 gr	12 pcs
14	4 kg	0,062 gr	12 pcs

Triple chain swivel

2114



Size	Test	Weight	Pcs/bag
7	22 kg	0,23 gr	12 pcs
10	14 kg	0,112 gr	12 pcs
14	4 kg	0,062 gr	12 pcs

Swivel & safety snap

2115



Size	Test	Weight	Pcs/bag
5	9 kg	0,40 gr	12 pcs
7	7 kg	0,23 gr	12 pcs
10	5 kg	0,14 gr	12 pcs
14	3 kg	0,10 gr	12 pcs

Crane swivel with interlock snap

2116



Size	Test	Weight	Pcs/bag
2	18 kg	0,52 gr	10 pcs
4	14 kg	0,38 gr	12 pcs
6	12 kg	0,26 gr	12 pcs
8	10 kg	0,16 gr	12 pcs
10	9 kg	0,12 gr	12 pcs

Double rolling swivel with interlock snap

2150



Size	Test	Weight	Pcs/bag
6	12 kg	0,43 gr	6 pcs
8	10 kg	0,26 gr	6 pcs
10	10 kg	0,20 gr	6 pcs
12	7 kg	0,15 gr	6 pcs



Quality swivels and accessories at a reasonable price!

Swivel with hooked snap


2117



Size	Test	Weight	Pcs/bag
5	28 kg	0,55 gr	12 pcs
7	20 kg	0,25 gr	12 pcs
10	12 kg	0,13 gr	12 pcs
14	4 kg	0,06 gr	12 pcs

Ball bearing swivel with snap

2118



Size	Test	Weight	Pcs/bag
0	12 kg	0,32 gr	6 pcs
1	18 kg	0,52 gr	6 pcs
2	25 kg	0,76 gr	6 pcs
4	35 kg	1,60 gr	6 pcs

Swing coastlock snap

2119



Size	Test	Weight	Pcs/bag
6	30 kg	0,32 gr	12 pcs
8	19 kg	0,20 gr	12 pcs
10	14 kg	0,12 gr	12 pcs
12	9 kg	0,08 gr	12 pcs

Side-line rolling swivel

2120



Size	Test	Weight	Pcs/bag
2	43 kg	0,88 gr	6 pcs
4	35 kg	0,56 gr	6 pcs
6	30 kg	0,32 gr	6 pcs
8	19 kg	0,18 gr	6 pcs

Corner plate swivel

2121



Size	Weight	Pcs/bag
6	1,3 gr	3 pcs
8	0,94 gr	3 pcs
10	0,57 gr	3 pcs

Brass Head Safety Snap

2122



Size	Weight	Pcs/bag
S	0,17 gr	6 pcs
M	0,26 gr	6 pcs

Plastic head swivel with interlock snap

2123



Size	Weight	Pcs/bag
S	0,15 gr	6 pcs
M	0,23 gr	6 pcs

Self-lock rotating snap

2124



Size	Test	Weight	Pcs/bag
4/0	90 kg	3,50 gr	4 pcs
2/0	70 kg	1,84 gr	6 pcs
1	55 kg	1,06 gr	10 pcs
3	40 kg	0,67 gr	10 pcs
5	30 kg	0,43 gr	12 pcs
7	15 kg	0,24 gr	12 pcs
10	10 kg	0,14 gr	12 pcs

Hooked snap

2125



Size	Test	Weight	Pcs/bag
00	9 kg	0,03 gr	12 pcs
0	12 kg	0,04 gr	12 pcs
1	20 kg	0,08 gr	12 pcs
2	28 kg	0,13 gr	12 pcs
3	35 kg	0,20 gr	12 pcs

Quality swivels and accessories at a reasonable price!

Rolling swivel with nice snap

2127



Size	Test	Weight	Pcs/bag
4/0	70 kg	2,05 gr	4 pcs
2/0	44 kg	1,45 gr	6 pcs
1	38 kg	0,92 gr	10 pcs
3	33 kg	0,68 gr	12 pcs
5	27 kg	0,44 gr	12 pcs
7	20 kg	0,27 gr	12 pcs
10	12 kg	0,13 gr	12 pcs

Quick snap with fixing tube

2128



Size	Pcs/bag
6	6 pcs
8	6 pcs

Safety lead snap kit

2130



2x6 pcs/bag

Swivel with pearl beads and rubber stopper


2129



Size	Pcs/bag
M	2x4 pcs

Slipping feeder fixing set

2131




Quality swivels and accessories at a reasonable price!

Match Quick snap

2132



Size	Pcs/bag
8	6 pcs
10	6 pcs
12	6 pcs
14	6 pcs



Swivel with side line clip

2135



Size	Test	Weight	Pcs/bag
6	22 kg	0,32 gr	12 pcs
8	14 kg	0,20 gr	12 pcs
10	9 kg	0,12 gr	12 pcs
12	4 kg	0,08 gr	12 pcs

Rolling quick snap


2134



Size	Test	Weight	Pcs/bag
8	9 kg	0,16 gr	6 db
10	7 kg	0,1 gr	6 db
12	5 kg	0,06 gr	6 db
14	3 kg	0,04 gr	6 db

Double quick snap swivel

2136



Size	Test	Weight	Pcs/bag
8	9 kg	0,24 gr	6 db
10	7 kg	0,15 gr	6 db
12	5 kg	0,1 gr	6 db
14	3 kg	0,06 gr	6 db

Feeder quick snap

2133



M 6 pcs/bag

Soft beads

2141

1,2x6mm
8 pcs/bag



Not-A-Knot swivel

2146



S 12 kg 6 pcs/bag
L 25 kg 6 pcs/bag
XXL 40 kg 6 pcs/bag

Maggot clips

2145

11x14x0,5 mm
6 pcs/bag




Method power quick snap

2137

Most powerful method snap




Size	Test	Weight	Pcs/bag
8	9 kg	0,36 gr	6 db



Distance holders, Fixing wedges

Fixing Wedge

2201



(M) (L)



1 pcs/bag

Distance Holder T-stop

2202



4 pcs/bag

Full stop arrester

2203




1 pcs/bag



T Distance holder

2205



(L) 4 pcs/bag

5 pcs/bag (M)

Float set 4 compartments

2210

NEW



Feeder set 4 compartments

2220

NEW



Tackle box 2 compartments
2225

NEW



Tackle box 4 compartments
2230

NEW



Tackle box 6 compartment
2235

NEW





Pop up, Suspended, solvable and smoking mini boilies



Code	Size	Weight	Flavor
2600	8 mm	20 gr	Pineapple
2605	8 mm	20 gr	Strawberry
2610	8 mm	20 gr	Pepper sausage
2615	8 mm	20 gr	Tuna-fish
2620	8×12 mm	20 gr	Pineapple
2625	8×12 mm	20 gr	Strawberry
2630	8×12 mm	20 gr	Tuna-fish
2640	12 mm	40 gr	Pineapple
2645	12 mm	40 gr	Strawberry
2650	12 mm	40 gr	Pepper sausage
2655	12 mm	40 gr	Tuna-fish

Pop up, Fluo mini boilie

Code	Size	Weight	Flavor
2660	10 mm	40 gr	Fluo vanilla
2665	10 mm	40 gr	Fluo pineapple
2670	10 mm	40 gr	Fluo scopex
2677	12 mm	40 gr	Fluo vanilla
2678	12 mm	40 gr	Fluo pineapple
2679	12 mm	40 gr	Fluo scopex



Pop up white mini boilie

Code	Size	Weight	Flavor
2680	8 mm	20 gr	Garlic
2685	8 mm	20 gr	N-Butyric acid
2690	12 mm	40 gr	Garlic
2695	12 mm	40 gr	N-Butyric acid



Balanced wafers mini boilie




Code	Size	Weight	Flavor
2740	6×7 mm	20 gr	Strawberry
2743	6×7 mm	20 gr	Corn
2750	7×9 mm	20 gr	Pineapple
2751	7×9 mm	20 gr	Strawberry
2752	7×9 mm	20 gr	Garlic
2753	9×11 mm	40 gr	Fluo pineapple
2754	9×11 mm	40 gr	N-butyric acid
2755	9×11 mm	40 gr	Corn

Ready to go mini boilie



Code	Size	Weight	Flavor
2760	8 mm	20 gr	Pineapple - Pop up
2761	8 mm	20 gr	Garlic - Pop up
2762	8×12 mm	20 gr	Strawberry - Pop up
2763	10 mm	40 gr	Scopex - Pop up
2764	9×11 mm	40 gr	Corn - Balanced
NEW 2765	7×9 mm	20 gr	Strawberry - Balanced
NEW 2766	12 mm	40 gr	Fluo vanilla - Pop up
NEW 2767	12 mm	40 gr	Fluo pineapple - Pop up

No need to bother anymore with mounting, just hang up the balanced hooklength into the method snap from the box. The hook and the bait size, thickness of hooklength and balance lead harmonize with each other what is one of the main part of successful fishing. Contains one prepared hooklength per box.



Hook bait and pellets

Feeder micro pellet with aroma liquid



Code	Colour	Flavor	Weight	Aroma
2800	yellow	Fluo pineapple	400 gr	50 ml
2805	red	Strawberry	400 gr	50 ml
2810	claret	Carpower	400 gr	50 ml
2815	black	Halibut	400 gr	50 ml

GELASTIC CORN


Soft POP UP



Code	Colour	Flavor	Pcs/bag
2501	yellow	vanilla flavor in syrup	10 pcs
2502	yellow	honey flavor in syrup	10 pcs
2503	yellow	strawberry flavor in syrup	10 pcs
2504	neon yellow	pineapple flavor in syrup	10 pcs
2505	neon yellow	garlic flavor in syrup	10 pcs
2506	red	mosquito flavor in syrup	10 pcs
2507	orange	shell flavor in syrup	10 pcs

SOFT BLOODWORM

2531 Soft fake bloodworm



FISHING MASTER

Aroma spray

Code	Flavor	L. measure
2850	Fluo pineapple	50 ml
2855	Strawberry	50 ml
2860	Plum	50 ml
2865	Garlic	50 ml
2870	Pepper sausage	50 ml
2875	Squid, octopus	50 ml



FISHING MASTER

Method gel



Code	Flavor	Weight
2880	Fluo pineapple	100 gr
2881	Strawberry	100 gr
2882	Caramel	100 gr
2883	Garlic	100 gr
2884	Fluo squid octopus	100 gr
2885	Cheese	100 gr

Plasma dip



Code	Weight	Flavor
2900	60 gr	Strawberry
2901	60 gr	Orange
2902	60 gr	Caramel
2903	60 gr	Squid-octopus
2904	60 gr	Cheese
2905	60 gr	Halibut

Fizz Activator



Code	Size	Weight	Effervescence	Flavor
2820	9 mm	100 gr	5 min	Pineapple+Plankton
2821	9 mm	100 gr	5 min	Competition Plankton & Bloodworm
2825	12 mm	100 gr	5 min	Strawberry
2830	12 mm	100 gr	10 min	Scopex
2831	12 mm	100 gr	5 min	Sweet Corn
2835	12 mm	100 gr	10 min	Garlic
2840	20 mm	100 gr	10 min	Big Fish Secret Salmon Krill
2841	20 mm	100 gr	10 min	Mussel



Tripod

Tripod, telescopic

3500

Tripod, telescopic
Stainless steel


3520

3525

Adjustable tripod set
Stainless steel

3526

+



Telescopic bankstick

Telescopic
V rod rest

Worm point
telescopic bankstick

Stainless steel
telescopic bankstick



50+40 cm



70+50 cm



50+30cm



70+50cm



30-45cm



50-85cm



3530

3535

3536

3537

3538

3540

3541

3545

Buzz bar

Adjustable buzz bar 40cm 3575



Multilock telescopic buzz bar 40-60cm 3580



Stainless steel telescopic buzz bar 30-50cm 3590



Feeder rod rest

3670



Unique, velvety protective surface

3671

NEW



3675

Method rod rest "M"



3676

Method rod rest "L"



3675

3500



Rod rest heads



3600



3605



3610



3616



3617

Rod rest



3621



3622



3630



3631



3650



3655



3660

Lighting rod rests



3635



3636

Feeder Basket

Method basket plated

(packing bag)

3205



Code	Weight	Pcs/bag
3205-20	20 gr	2 pcs
3205-25	25 gr	2 pcs
3205-30	30 gr	2 pcs
3205-40	40 gr	2 pcs

Method basket stemmed

(packing bag)

3210



NEW

Code	Weight	Pcs/bag
3210-20	20 gr	2 pcs
3210-25	25 gr	2 pcs
3210-30	30 gr	2 pcs
3210-40	40 gr	2 pcs
3210-50	50 gr	2 pcs

Eco method basket set

3250

Set:

- EXC method feeder 20 g – 1 pcs
- EXC method feeder 30 g – 1 pcs
- EXC method modul – 1 pcs
- Rolling swivel 10 – 2 pcs



Method basket charger

3215

1 pcs/bag
(packing bag)



Aerowinged basket

(packing bag)

3280



Code	Weight	Pcs/bag
3280-20	20 gr	2 pcs
3280-30	30 gr	2 pcs
3280-40	40 gr	2 pcs

Vario feeder 2 in 1 basket

NEW

3290

2 pcs/bag



Code	Weight	Pcs/bag
3290-20	20 gr	2 pcs
3290-30	30 gr	2 pcs
3290-40	40 gr	2 pcs



Feeder Basket

Lapos feeder kosár

3005



Code	Weight	Pcs/bag
3005-20	20 gr	2 pcs
3005-30	30 gr	2 pcs
3005-50	50 gr	2 pcs
3005-70	70 gr	2 pcs

Flat/spring feeder basket with anti tangle tube

3006



Code	Weight	Pcs/bag
3006-14	14 gr	2 pcs
3006-20	20 gr	2 pcs
3006-30	30 gr	2 pcs
3006-50	50 gr	2 pcs

Enhanced earned round feeder

3010



Code	Weight	Pcs/bag
3010-10	10 gr	2 pcs
3010-20	20 gr	2 pcs
3010-30	30 gr	2 pcs

Round weight feeder

3011



Code	Weight	Pcs/bag
3011-25	25 gr	2 pcs
3011-35	35 gr	2 pcs
3011-45	45 gr	2 pcs

Long cast feeder basket

3012



Code	Weight	Pcs/bag
3012-25	25 gr	2 pcs
3012-35	35 gr	2 pcs

Feeder Basket

Ribbed feeding basket with anti tangle tube

3014



Code	Weight	Pcs/bag
3014-10	10 gr	2 pcs
3014-15	15 gr	2 pcs
3014-20	20 gr	2 pcs
3014-25	25 gr	2 pcs
3014-30	30 gr	2 pcs
3014-45	45 gr	2 pcs
3014-60	60 gr	2 pcs

Pellet feeder basket

3018



Code	Weight	Pcs/bag
3018-25	25 gr	2 pcs
3018-35	35 gr	2 pcs
3018-45	45 gr	2 pcs

Rocket feeder basket


3019



Code	Weight	Pcs/bag
3019-15	15 gr	2 pcs
3019-25	25 gr	2 pcs
3019-35	35 gr	2 pcs
3019-50	50 gr	2 pcs
3019-70	70 gr	2 pcs

Special round feeder with wire loop

3020



Code	Weight	Pcs/bag
3020-XL	10 gr	2 pcs
3020-XXL	10 gr	2 pcs
3020-XXXL	10 gr	2 pcs
3020-mix	10 gr	3 pcs

River Feeder

3022



Code	Weight	Pcs/bag
3022-1	65 gr	1 pcs
3022-2	90 gr	1 pcs
3022-3	115 gr	1 pcs
3022-4	140 gr	1 pcs
3022-5	170 gr	1 pcs



Olive weights with silicone,- two functions in one lead

If the line is threaded through the tube, the olivette can be used as a sliding weight.

If fixed to the line by silicon tubes, then it can be used as changeable weight.



3002



Code	Weight	Pcs/bag
3002-1	1,0 gr	5 pcs
3002-1,5	1,5 gr	5 pcs
3002-2	2,0 gr	5 pcs
3002-2,5	2,5 gr	5 pcs
3002-3	3,0 gr	5 pcs
3002-4	4,0 gr	5 pcs
3002-5	5,0 gr	5 pcs
3002-6	6,0 gr	5 pcs
3002-7	7,0 gr	5 pcs
3002-8	8,0 gr	5 pcs
3002-mix	Mixed	5 pcs

Globular weight with central hole, precise cut and protector tube



The quality manufacture and tube makes it possible to fix perfectly centrally and without causing damage

3001



Code	Weight	Pcs/bag
3001-1	1,0 gr	5 pcs
3001-1,5	1,5 gr	5 pcs
3001-2	2,0 gr	5 pcs
3001-2,5	2,5 gr	5 pcs
3001-3	3,0 gr	5 pcs
3001-4	4,0 gr	5 pcs
3001-5	5,0 gr	5 pcs
3001-6	6,0 gr	5 pcs
3001-7	7,0 gr	5 pcs
3001-8	8,0 gr	5 pcs
3001-10	10,0 gr	4 pcs
3001-12	12,0 gr	4 pcs
3001-15	15,0 gr	4 pcs
3001-18	18,0 gr	3 pcs
3001-20	20,0 gr	3 pcs
3001-25	25,0 gr	2 pcs
3001-30	30,0 gr	2 pcs
3001-mix	Mixed	5 pcs

3001-mix



Sliding weight without lead, mix 3042 4 pcs/bag



Fix weight without lead, mix 3062 4 pcs/bag



Sounding weight 3003



Code	Weight	Pcs/bag
3003-5	5,0 gr	4 pcs
3003-10	10,0 gr	3 pcs
3003-15	15,0 gr	3 pcs
3003-20	20,0 gr	2 pcs
3003-35	35,0 gr	2 pcs

Torpillo 3021



Medium shot set 3026-M 150 gr • size 3-9

Large shot set 3026-L 150 gr • size 1-7

Styl lead set 3028 150 gr



Anti tangle

Anti tangle tube with strong end 3101



Code	Size	Pcs/bag
3101-30	30 mm	3 pcs
3101-55	55 mm	3 pcs
3101-85	85 mm	3 pcs
3101-120	120 mm	3 pcs

Anti tangle tube with hooked snap 3102



Code	Size	Pcs/bag
3102-80	80 mm	3 pcs
3102-120	120 mm	3 pcs
3102-180	180 mm	3 pcs

Ballancer boom 3110

15 cm 3 pcs/bag



Semi fixed lead ring 3115

25 cm 3 pcs/bag



T-shirt Royal blue and white, Cralusso logo is in front and back, hard-wearing and fine material.



Code: 9001



Code: 9002



Code: 9003



Code: 9004



Code: 9005

Cralusso caps:
Softish material, adjustable size,
hard wearing, embroidered in front.



Fleece sweater embroidered
on both sides
Code: 9020
Size:
M - L - XL - XXL



Innovative Fishing Floats and Accessories

2019

CRALUSSO,
CHOICE OF THE WINNERS

Králik & Tsa. Kkt.
H-2600 Vác, Zrínyi u. 3.
Phone/fax:+36/27-304-327
e-mail:cralusso@cralusso.com

www.cralusso.com

